# STATE OF NEW MEXICO ENERGY AND MINIERALS DEPARTMENT

this application.

### OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-107 Revised 2-1-82

#### APPLICATION FOR HULTIPLE COMPLETION

			DECEIVED
Operator	County	Date	
Caulkins Oil Company	Rio Arriba		SEP 2 8 1984
	Lease	Well No.	OIL CON, DIV
P.O. Box 780 Farmington Location Unit Se	n, New Mexico Reut		DIST. ?
of Well P	15 26 Nort	•	
All Applicants for multip			elow.
1. The following facts are submitted:	Upper   Zone	Intermediate Zone	Lower Zone
a. Name of Pool and Formation	Mesa Verde		Dakota
<b>b. Top</b> and Bottom of			
Pay Section (Perforations)	4782' - 5400'	·	7 <b>2</b> 02' - 7426'
c. Type of production (Oil or Gas)	Gas	·	Gas
d. Method of Production (Flowing or Artificial Lift)	Flowing		Flowing
e. Daily Production		·	
X Actual	Potential Test	i jamesti Listoria	Potential Test
<pre>Estimated</pre>	1,582 MCFPD		1,181 MCFPD
Gaa MCF	<b>4</b>		
Kakaxxxxxxx			•
2. The following must be a	attached:		
quantities used and (	g depths, centralizers top of cement, perfora g depth, location and	and/or turbolizers an ted intervals, tubing	d location thereof.
b. Plat showing the localeases, and the names	ation of all wells on a and addresses of ope	applicant's lease, all rators of all leases o	offset wells on offset ffsetting applicant's leas
and intervals of perf	foration indicated the	able log with tops and reon. (If such log is itted as provided by R	bottoms of producing zone not available at the ule 112-A.)
hereby certify that the	information above is	true and complete to t	he best of my knowledge
Signed Charles Very	www.superint	endent Date	9 <b>-2</b> 6-84
(This space for State Use,	)		OFD 0.0 4004
Original Signed by FRANK T. CH	AVEZ Title SU	PERVISOR DISTRICT 架 3	Date SEP 28 1984
NOTE: If the proposed mu		l result in an unortho	dox well location

separate application for approval of the same should be filed simultaneously with

## CAULKINS OIL COMPANY

P. O. BOX 780 FARMINGTON, NEW MEXICO 87401

Reuter 321-E 934 F/S & 1022 F/E Section 15, 26 North 6 West Rio Arriba County, New Mexico

Proration Unit South half of Section
Well No. 321-E Identified with circle
All acreage not otherwise identified operated by Caulkins Oil Company

~ D 132 E	D 132 ₩ PC 131	₩182A ₩20133	°C135 ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	_viC 140M \$\$25 PC 137	MD 40
CMD 9 204M C  C PC177	M 6 7 9 女 女 P C 1 7 9 T D 2 0 4	6.16. \$\frac{1}{3}\$652	O PC 183  MC.36 F  TMD  TMD  TMD  TMD  TMD  TMD	1   1   1   1   1   1   1   1   1   1	MD 685 E
PD 233	<sup>₽</sup> ( <sub>0</sub> 3 ε κ	PC 237	P2263 \$7 \$5 (\$40	PC241 \$\folday{C} \O 244 E	PC744 D 244
16 # # # # # # # # # # # # # # # # # # #	рс 295 ☆ ☆ ☆ ЖD 268E	ρυ (1.097 Σί Σί Σία ε	ADOBE TO	PC 293	PC 301
c : : 368	∧D⇒4I -Ò	F 344	P7 34€ ₩ 1/0 1/6	MESADI2	MESA DII EL PASO PC 2
MESA PC 4 PL3	MESA MD D ISE		0 346M \$\price 387	E_PASO PC 4 MESA D.2E	MESA PC4

Mesa Petrolum Co. 1700 Broadway Suite 400, Denver, Colorado 80290

### BAKER GIL TOOLS, INC.

SERVING THE WORLD

DATE -		Well 140	321-E	— LEASE —	Reuter	FIELD _	Blanco Mesa Verde Basin Dakota
		_9 5/8" 36# Cement circ	H-40 Casinulated to	g cemented surface.	d at 390° with	n <b>2</b> 50 sack:	s(4 <b>12.</b> 50 Cu.Ft.)
П		-(907.50 Cu.	Ft.) Light	Weigh 5 H		nd 12 1/4#	Tool with 550 sacks Gilsonite per
+		-1 1/4" NU 1 _Mesa Verde				5382' for N	Mesa Verde Production
#		(412.50 Cu.	Ft.) Light	Weigh 5P1	Cemented th lus 4% Gel and .18 Cu.Ft.) No	1 12 1/4# 0	
					eker set at 54 g set at 7333		a Production.
=	=(-	_Dakota Perf 5 1/2" 15.5	& 17# Cas	ing set at	: 7470 <b>'.</b> Ceme	ented thru	Shoe with 250 sacks
		∠(412.50 Cu. Followed by ~TD 7470'	Ft.) Light	Weigh 5 F (118 Cu.F	Plus 4% Gel ar	nd 12 1/4# ent.	Gilsonite per sack.

The second of th