STATE OF NEW MEXICO ENERLY AND MINIERALS DEPARTMENT

OIL CONSERVATION DIVISION P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-107 Revised 2-1-82

APPLICATION FOR MULTIPLE COMPLETION

			DECEIVED
Operator	County	Date	SEP 2 8 1984
Address	Rio Arriba		SEP Z O 120.
	Lease	Well No.	
2.0. Box 780 Farmington,			7. P. C.
of Well E 1	ction Township 26 North	•	
All Applicants for multip			ow.
1. The following facts are submitted:	Upper Zone	Intermediate Zone	Lower Zone
e. Name of Pool and Formation	Mesa Verde		Dakota
b. Top and Bottom of			
Pay Section (Perforations)	5030 ' to 5662 '		7548' to 7760'
c. Type of production (Oil or Gas)	Gas		Gas
d. Hethod of Production (Flowing or Artificial Lift)	Flowing		Flowing
e. Daily Production X Actual Estimated XXXXXXXXXXXXX Gas MCF XXXXXXXXXXXXXXXX	Potential Test 1,494	·	Potential Test 1,545
quantities used and t	of the Multiple Comple depths, centralizers op of cement, perfora depth, location and	and/or turbolizers and ted intervals, tubing s	location thereof.
b. Plat showing the loca leases, and the names	tion of all wells on and addresses of ope	applicant's lease, all rators of all leases of	offset wells on offset fsetting applicant's leas
and intervals of perf	oration indicated the	able log with tops and reon. (If such log is itted as provided by Ru	bottoms of producing zone not available at the le 112-A.)
I hereby certify that the and belief			
/	succes superi	ntendent Date	9-27-84
(This space for State Use) Appro Original/S igned by FRANK T.C	SUI HAVEZTitle	PERVISOR DISTRICT # 3	ate SEP 28 1984

NOTE: If the proposed multiple completion will result in an unorthodox well location and/or a non-standard proration unit in one or more of the producing zones, then separate application for approval of the same should be filed simultaneously with this application.

CAULKINS OIL COMPANY

P. O. BOX 780 FARMINGTON, NEW MEXICO 87401

Breech "E" 118-E 1840' F/N & 800' F/W Section 1, 26 North 6 West Rio Arriba County, New Mexico

Proration Unit West half of Section Well No. 118-E Identified with circle All acreage not otherwise identified operated by Caulkins Oil Company

	E_ PASO		E Paso	
10. P.M.12	PC 10	* ₩ → →		2M € 7
	; ;	⇔ €13	P3 60	0 (96)
	; !	· C	3	31
P C 48	ľ I ⇔ I ⇔	₽3÷	₽M 54	
M W	女 D 12		- Q 9 € 7	-ॐ- °ः э ३
PC 5 6 2	MESA	MD 64 ☆,	90 6 30 7	PE7 P32 MD8
₩D 6 5	i is	11 PC 564		MD 8
	M D		e o M	6
M D I I 3 E	2118	PC 99	PC 5	PO 3 CO M / B A
PC 116	- Φ - P 0 -17	M U 64 N		47 B A
MD 40	*2.74	90014 16	EL PAS	30
25540 25540		Æ: 10 + +	4 4	
	 	2		
,	, 2000.9 ₹		i -	
MD 585 €	PC / S3	70.399 V 70. 20.2:6	 \$\disp\rightarrow\tau\tau\tau\tau\tau\tau\tau\tau\tau\tau	<i>≿</i> - ₽ M 5 M
	PC 48 PC 582 PC 582 MD 62 MD 62 MD 62 MD 685 E	PC 48 PC 48 PC 48 MD PC 48 MD PC 48 MD PC 10 PC 1	PC 10 PC 13 PC 10 PC 13 PC 13 PC 148 PC 148 PC 148 PC 156 PC 17 PC 16 PC 16 PC 17 PC 16 PC 17 PC 16 PC 17 PC 16 PC 17 PC 16 PC 16 PC 17 PC 16 PC 17 PC 16 PC 17 PC 16 PC 17 PC 16 PC 16 PC 17 PC 16 PC 16 PC 16 PC 17 PC 16 PC 16 PC 16 PC 17 PC 16 PC 16	PC 10

El Paso Natural Gas Company P.O. Box 990, Farmington, New Mexico 87499 Oxy Petrolum Inc. 5000 Stockdate Highway, Bakersville, Calif. 93309

BAKER DIL TOOLS, INC.

SERVING THE WORLD

Blanco Mesa Verde

DATE -	WELL NO. 118-E LEASE Breech "E" FIELD Basin Dakota
	9 5/8" 36# H-40 Casing cemented at 380' with 275 sacks (319 Cu.Ft.) Class "B" Cement containing 3% CaCl. Cement circulated to surface.
	Cement Stage Tool set at 3695'. Cemented thru Stage Tool with 650 sacks (1072.50 Cu.Ft.)Light Weigh 5 Plus 4% Gel and 12 1/4# Gilsonite per sack. Followed by 100 sacks (118 Cu.Ft.) Class "B" Cement.
+	——————————————————————————————————————
	Cement Stage Tool set at 5712' with 250 sacks (412.50 Cu.Ft.) Light Weigh 5 Plus 4% Gel and 12 1/4# Gilsonite per sack. Followed by 100 sacks (118 Cu.Ft.) Class "B" Cement. Baker Model "R" Double Grip Packer set at 5786'.
##	1 1/2" EUE 10rd thd V-55 Tubing set at 7741' for Dakota Production. Dakota Perforations 7548' to 7760'.
	5 1/2" 15.5 & 17# Casing set at 7775. Cemented thru Shoe with 250 sacks (412.50 Cu.Ft.) Light Weigh 5 Plus 4% Gel and 12 1/4# Gilsonite per sack. Followed by 100 sacks (118 Cu.Ft.) Class "B" Cement.
	TD 7775'