

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form O-100
Revised 12-1-77

DATE OF REPORT	
DISTRICT	
WELL NO.	
WELL NAME	
WELL TYPE	
WELL STATUS	
WELL LOCATION	
WELL DEPTH	

CONFIDENTIAL

3. INCIDENT TYPE OF LOSS	
4. STATE OIL & GAS BOARD NO.	

SUNDRY NOTICES AND REPORTS ON WELLS

DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO REPAIR OR PLUG WELLS. IT IS A DIFFERENT DOCUMENT.
NOT A SUBSTITUTE FOR PRODUCE REPORTS (FORM O-100) FOR SUCH PROPOSALS.

1. NAME OF OPERATOR	Amoco Production Company
2. ADDRESS OF OPERATOR	2325 East 30th Street; Farmington, NM 87401
3. LOCATION OF WELL	WELL LETTER <u>G</u> <u>1680</u> FEET FROM THE <u>North</u> LINE OF <u>1780</u> FEET FROM <u>East</u> LINE, SECTION <u>15</u> TOWNSHIP <u>26N</u> RANGE <u>2W</u>
4. DEPTH OF WELL	7395' GR
5. UNIT ASSIGNMENT	Bear Canyon Unit
6. NAME OF LEASE	Gavilan-Grnhrn-Graneros Ext.; Gavilan Mancos Ext.
7. WELL NO.	1
8. COUNTY	Rio Arriba

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK	☐	PLUG AND ABANDON	☐	REMEDIAL WORK	☐	ALTERING CASING	☐
TEMPORARILY ABANDON	☐	CHANGE PLANS	☐	COMMENCE DRILLING OPER.	☐	PLUG AND ABANDONMENT	☐
PULL OR ALTER CASING	☐	OTHER	☐	CASING TEST AND CEMENT JOBS	☐	OTHER	☒ Spud and Set Casing

12. Describe Production or Conditioning Operations (Clearly state all pertinent details, and give pertinent data, including estimates date of starting any proposed work) SEE RULE 1103.

Spud a 12-1/4" hole on 5-23-87 at 0945 hrs. Set 9-5/8", 36#, J55 surface casing at 361'. Cemented with 295 cf Class B Ideal and circulated 20 bbls of good cement to the surface. Pressure tested casing to 6000 psi. Drilled a 7-7/8" hole to a TD of 8316' on 6-25-87. Landed 5-1/2", 17# and 15.5#, N80 and J55 production casing at 8316'. Stage 1: cemented with 661 cf Class B Ideal. Stage 2: cemented with 747 cf Class B Ideal. Ran a temperature survey (attached) which indicated the top of the cement to be at 2400'. The DV tool was set at 4124' and the rig was released on 6-26-87.

13. I hereby certify that the information above is true and correct to the best of my knowledge and belief.

Signed: BD Shaw Title: Adm. Supervisor Date: 7-6-87

Original Signed by FRANK T. CHAVEZ

SUPERVISOR DISTRICT 1

DATE JUL 09 1987

CONFIDENTIAL

FORM 432-2

WILSON
SERVICE COMPANY

TEMPERATURE SURVEY

COMPANY..... Amoco Production

WELL..... #1 **LEASE**..... Bear Canyon

COUNTY..... Rio Arriba **STATE**..... New Mexico

SEC..... **TWP**..... **RGE**.....

APPROX. TOP CEMENT..... 2400'

Survey Begins at..... 1500' **Ft. Ends at**..... 4050' **Ft.**

Approx. Fill-Up **Max. Temp.**

Log Measured From..... KB **Run No.**..... 1

Casing Size	Casing Depth	Diam of Hole	Depth
5½" from	to	from 7 7/8"	to
..... from	to	from	to

Date of Cementing..... 6/25/87 **Time**.....

Date of Survey..... 6/29/87 **Time**.....

Amount of Cement..... As Per Report.

Recorded by..... Mahaffey **Witnessed by**.....

REMARKS OR OTHER DATA

..... DV Tool at 4121'

TEMPERATURE IN DEGREES FAHRENHEIT



