

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED
BLM

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.

SUBMIT IN TRIPLICATE

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other
2. Name of Operator
Union Oil Company of California
3. Address and Telephone No.
P.O. Box 671 - Midland, TX 79702 (915) 682-9731
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1020' FNL & 970' FWL - Sec. 1, T-26-N, R-7-W

5. Lease Designation and Serial No.
SF-079160

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

Rincon Unit

8. Well Name and No.

Rincon Unit #192E

9. API Well No.

10. Field and Pool, or Exploratory Area

Basin Dakota-Largo Gallup

11. County or Parish, State

Rio Arriba, NM

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

RECEIVED

SEP 12 1991

OIL CON. DIV.
DIST. 3

TYPE OF ACTION

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other Perforations

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

08/08

13 HR SICP 1450#. BLED TO TSTM/1-1/2 HR. TOH W/ 2-3/8" TBG. TIH W/ 7" RBP ON 2-3/8" TBG SET @ 6823'. SPOT 3 SX SD ON RBP. LOAD 7" CSG W/ 2% KCL. TOH. PERF W/ 4" SQZ GUNS & 4 JSPF 90 DEG PHASING @ 6700 & 6770' (TOTAL 8 HOLES). PU 7" PKR ON 2-3/8" TBG. TIH, INC.

08/09

FIN TIH, PSA 6734'. ATTEMPT TO CIRC PERFS @ 6700' & 6770' W/ NO SUCCESS. SWBD FL DN TO 6730' (SN). SWBD DRY W/ NO ENTRY/1 HR. REL PKR TOH. SDON.

08/10

TIH W/ 7" CMT RET ON 2-3/8" TBG TO 6730'. CLEAR RET & SET @ 6730'. EST INJ RATE OF 1.2 BPM @ 1800 PSI. SQZ PERFS @ 6770' W/ 50 SX CL "B" NEAT MIXED @ 15.6 PPG @ 1.5-1-.5 BPM & 500-800-1175 PSI. STUNG OUT OF RET & SPOT 75 SX "B" NEAT CMT F/ 6730-6500'. PUH TO 6105'. REV TBG CLEAN. BRADEN HEAD SQZ PERFS @ 6700' TO 2500 PSI W/ 10 SX CMT IN FORM. TOH, PRESS 7" ANNULUS TO 2000 PSI & SWI.

08/11

PU 6-1/8" BIT, 6 3-1/2" DC'S ON 2-3/8" TBG. TIH TO 6385'. DRLD FIRM TO HARD CMT F/ 6385-6660', INC. CIRC HOLE CLEAN. PUH TO 6510'.

14. I hereby certify that the foregoing is true and correct

Signed Charlotte Beeson

Title Drlg. Clerk

Date 8-23-91

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

Date

ACCEPTED FOR RECORD

SEP 14 1991

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

NMOCD

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED
BLM

Page 2

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.

AUG 26 PM 12:59
DALLAM COUNTY, N.M.

SUBMIT IN TRIPLICATE

1. Type of Well ☐ Oil Well ☒ Gas Well ☐ Other		5. Lease Designation and Serial No.
2. Name of Operator <u>Unocal</u>		6. If Indian, Allottee or Tribe Name
3. Address and Telephone No.		7. If Unit or CA, Agreement Designation
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		8. Well Name and No. <u>Rincon Unit #192E</u>
		9. API Well No.
		10. Field and Pool, or Exploratory Area
		11. County or Parish, State

CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
☐ Notice of Intent	☐ Abandonment	☐ Change of Plans
☐ Subsequent Report	☐ Recompletion	☐ New Construction
☐ Final Abandonment Notice	☐ Plugging Back	☐ Non-Routine Fracturing
	☐ Casing Repair	☐ Water Shut-Off
	☐ Altering Casing	☐ Conversion to Injection
	☐ Other	☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

08/12
TIH TO 6660'. DRLD HARD CMT F/ 6660-6710'. CIRC HOLE CLEAN. PUH TO 6583'.
08/13
DRLD CMT F/ 6710-6730'. CIRC HOLE CLEAN. TST CSG TO 1500 PSI F/ 15 MINS, OK.
DRLD CMT RET @ 6730', INC. CIRC HOLE CLEAN. PUH TO 6667'.
08/14
DRLD 7' CMT RET @ 6730' F/ 5 HRS, INC. CIRC HOLE CLEAN. TRIP F/ NEW 6-1/8" BIT. DRLD 7" RET, INC. CIRC HOLE CLEAN. PUH TO 6663'.
08/15
DRLD 7" CMT RET & HARD CMT 6730-6780' IN 5-1/2 HRS. SOFT CMT STRINGERS 6780-6800'. FREE 6800-6814'. WASH OUT FILL 6814-18'. REV CIRC CLEAN. PUH TO 6787'. P-TST SQZ PERFS @ 6770' TO 1500 PSI. BLED TO 1000 PSI IN 1-1/2 HRS. POOH. DROP 2 SX 20-40 SAND DN 7" CSG.
08/16
13 HR SICP 0. RI W/ 2-3/8" TBG OE'D TO 6782'. SPOT 35 SX CL "G" W/ .4% HAL-9 & .25% OF CFR-2 @ 15.8 PPG F/ 6782-6601'. PO TO 6417'. REV CLEAN. SQZ PERF @ 6770' W/ 10 SX ON FORM @ 1/8-0 BPM 0-1500-2100 PSI. HELD 2100 PSI F/ 1/2 HR. REL PSI. PO TO 6110'. RE-PRESS TO 2100 PSI.

Cont'd Page 3

14. I hereby certify that the foregoing is true and correct
Signed Charlotte Beeson Title Drlg. Clerk Date 8-23-91
(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED
BLM

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Unocal

3. Address and Telephone No.

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☐ Other

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

08/17
15 HR SITP 2500 PSI. BLED DN IMMED. POH W/ 2-3/8" TBG. RI W/ 6-1/8" BIT, 6 3-1/2" DC'S ON 2-3/8" TBG TO 6602'. TAG CMT. DRILD HARD CMT F/ 6602-6787', 6818'. CIRC CLEAN. PO TO 6698'.

08/18
14 HR SITP 0. POH W/ TBG, LD DC'S. RI W/ STRD ASSY ON 2-3/8" TBG. SET RBP @ 6700'. SPOT 2 SX SAND ON TOP OF RBP. PO TO 6670'.

08/21
RI W/ 4" PERF GUN, SET DN @ 6660' (WLTD). POOH. RI W/ RET HD ON 2-3/8" TBG. REV SD OFF OF BP. RET BP. SET RBP @ 6713' TBG (6690' WL). TSTD TO 3000 PSI, OK. SPOT 300 GALS 15% HCL F/ 6670-6484'. PO TO 5900'. SWBD FLVL TO 5000'.

08/22
TOH W/ 2-3/8" TBG. PERF TOCITO W/ 4" DP CSG GUNS W/ 2 JSPF @ 6634-44' & 6652-72' (TOTAL 64 HOLES). PU 7" PKR & 3-1/2" N-80 WS. TSTG IN HOLE TO 8000 PSI ABOVE SLIPS, INC.

14. I hereby certify that the foregoing is true and correct

Signed Charlotte Beeson Title Dir. Clerk

Date 8-23-91

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side