

submitted in lieu of Form 3160-5

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

BLM

Sundry Notices and Reports on Wells

93 AUG 18 AM 11:09

1. Type of Well
GAS

010 ALBUQUERQUE, N.M.

5. Lease Number
Jic. Contract 98
6. If Indian, All. or
Tribe Name
Jicarilla Apache
7. Unit Agreement Name

2. Name of Operator
MERIDIAN OIL

3. Address & Phone No. of Operator
PO Box 4289, Farmington, NM 87499 (505) 326-9700

8. Well Name & Number
Jicarilla 98 #11A
9. API Well No.

4. Location of Well, Footage, Sec., T, R, M
1850' FNL, 1840' FWL Sec. 18, T-26-N, R-3-W, NMPM

10. Field and Pool
Tapacitos Pic. Cliffs/
Blanco Mesa Verde
11. County and State
Rio Arriba Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

☐ Notice of Intent

☐ Abandonment

☐ Change of Plans

☐ Subsequent Report

☐ Recompletion

☐ New Construction

☐ Final Abandonment

☐ Plugging Back

☐ Non-Routine Fracturing

☐ Casing Repair

☐ Water Shut off

☐ Altering Casing

☐ Conversion to Injection

☐ Other -

13. Describe Proposed or Completed Operations

Per phone conversation with Robert Kent and at his request, the 8 5/8" surface casing will be pressure tested to 2000 psi. A test plug will be set at the bottom of the 8 5/8" csg and a pump truck will be used to pressure test the casing, pipe rams and blind rams to 2000 psi for 30 minutes.

Note: revision of BOP diagrams per BLM recommendation is attached.

RECEIVED
AUG 30 1993

OIL CON. DIV.
DIST. 3

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] Title Regulatory Affairs Date 8/16/93

(This space for Federal or State Office use) AREA MANAGER

APPROVED BY SHIRLEY MONDY Title RIO PUERCO RESOURCE AREA Date AUG 26 1993

CONDITION OF APPROVAL, if any:


Acting

NMOCD

MERIDIAN OIL INC.

BOP Configuration

2M psi SYSTEM




RECEIVED
 AUG 30 1993
 OIL CON. DIV.
 DIST. 3

11" Bore, 2000psi minimum working pressure double gate BOP to be equipped with blind and pipe rams. A Schaffer Type 50 or equivalent rotating head to be installed on the top of the BOP. All equipment is 2000psi working pressure/or greater.

Figure #1

MERIDIAN OIL INC.


BOP Configuration
2M psi SYSTEM



Minimum BOP installation for Completion operations. 7 1/16" Bore (6" Nominal), 3000psi minimum working pressure double gate BOP to be equipped with blind and pipe rams.

Figure #2

MERIDIAN OIL INC.
Choke Manifold Configuration
2M psi SYSTEM



Minimum choke manifold installation from surface to Total Depth.
2" minimum, 2000psi working pressure equipment with two chokes.

Figure #3