

MULTI-POINT BACK PRESSURE TEST FOR GAS WELLS

Pool South Blanco Formation Pictured Cliffs County Rio Arriba
Initial X Annual _____ Special _____ Date of Test 8-24-65
Company Continental Oil Company Lease AXI Apache "K" Well No. 4
Unit M Sec. 3 Twp. 26N Rge. 5W Purchaser Southern Union Gas Company
Casing 4-1/2" Wt. 10.5 I.D. 11.6 & Set at 6150' Perf. 3772' To 3830'
Tubing 2-3/8" Wt. 4.7 I.D. 1.995 Set at 5340' Perf. None To _____
Gas Pay: From 3772' To 3830' L 3772' xG 0.660 -GL 2490 Bar.Press. 12
Producing Thru: Casing X Tubing _____ Type Well G. G. Dual
Date of Completion: 8-17-65 Packer Model "D" Single-Bradenhead-G. G. or G.O. Dual
Reservoir Temp. _____

OBSERVED DATA

Tested Through (Prover) ~~X-CHANCE~~ Type Taps --

No.	Flow Data					Tubing Data		Casing Data		Duration of Flow Hr.
	(Prover) X-CHANCE Size	X-CHANCE (Orifice) Size	Press. psig	Diff. h _w	Temp. °F.	Press. psig	Temp. °F.	Press. psig	Temp. °F.	
SI						1054		992		21 168 hrs.
1.	2"	1/8	935		60°	1053		935	60	1 hr.
2.	2"	7/32	770		60°	1054		770	60	1 hr.
3.	2"	5/16	531		61°	1055		531	61	1 hr.
4.	2"	7/16	261		62°	1055		261	62	1 hr.
5.										

FLOW CALCULATIONS

No.	Coefficient (24-Hour)	$\sqrt{h_{wpf}}$	Pressure psia	Flow Temp. Factor F _t	Gravity Factor F _g	Compress. Factor F _{pv}	Rate of Flow Q-MCFPD @ 15.025 psia
1.	.3418		947	1.000	.9535	1.107	342
2.	1.0834		782	1.000	.9535	1.081	873
3.	2.1577		543	0.9990	.9535	1.635	1177
4.	4.3997		273	0.9981	.9535	1.029	1177
5.							

PRESSURE CALCULATIONS

Gas Liquid Hydrocarbon Ratio Dry Gas cf/bbl.
Gravity of Liquid Hydrocarbons _____ deg.
F_c 4.095 (1-e^{-s}) 0.166

Specific Gravity Separator Gas _____
Specific Gravity Flowing Fluid .660
P_c 1004 P_c² 1.008016

No.	P_w P _t (psia)	P _t ²	F _c Q	(F _c Q) ²	(F _c Q) ² (1-e ^{-s})	P _w ²	P _c ² -P _w ²	Cal. P _w	$\frac{P_w}{P_c}$
1.	947	896,809	1,400	1,960	325	897,134	110,882	947.2	94.3
2.	782	611,524	1,575	12,781	2122	613,646	394,370	783.4	78.0
3.	543	294,849	4,820	23,232	3857	298,706	709,310	546.5	54.4
4.	273	74,529	4,820	23,232	3857	78,386	929,630	280.0	27.9
5.									

Absolute Potential: 1390 MCFPD; n .53

COMPANY Continental Oil Company

ADDRESS P. O. Box 1621, Durango, Colorado

AGENT and TITLE E. B. Everett, Test Engineer

WITNESSED Frank Van Matre

COMPANY _____

REMARKS



INSTRUCTIONS

This form is to be used for reporting multi-point back pressure tests on gas wells in the State, except those on which special orders are applicable. Three copies of this form and the back pressure curve shall be filed with the Commission at Box 871, Santa Fe.

The log log paper used for plotting the back pressure curve shall be of at least three inch cycles.

NOMENCLATURE

Q = Actual rate of flow at end of flow period at W. H. working pressure (P_w).
MCF/da. @ 15.025 psia and 60° F.

P_c = 72 hour wellhead shut-in casing (or tubing) pressure whichever is greater.
psia

P_w = Static wellhead working pressure as determined at the end of flow period.
(Casing if flowing thru tubing, tubing if flowing thru casing.) psia

P_t = Flowing wellhead pressure (tubing if flowing through tubing, casing if
flowing through casing.) psia

P_f = Meter pressure, psia.

h_w = Differential meter pressure, inches water.

F_g = Gravity correction factor.

F_t = Flowing temperature correction factor.


F_{pv} = Supercompressibility factor.

n = Slope of back pressure curve.

Note: If P_w cannot be taken because of manner of completion or condition of well, then P_w must be calculated by adding the pressure drop due to friction within the flow string to P_t .



Continental Oil Company
 AXI Apache "K" No. 4
 South Blanco - Pictured Cliffs
 M - 3 - 26N - 5W
 Rio Arriba County
 8-24-65



Q - MCFD - 15.025 PSIA