

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Free <input type="checkbox"/>
5. State Oil & Gas Lease No. E-4777

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER	7. Unit Agreement Name East Bisti Unit
2. Name of Operator Skelly Oil Company	8. Farm or Lease Name
3. Address of Operator 1860 Lincoln Street, Denver, Colorado 80203	9. Well No. 80
4. Location of Well UNIT LETTER P 660 FEET FROM THE South LINE AND 660 FEET FROM THE East LINE, SECTION 32 TOWNSHIP 25N RANGE 10W NMPM.	10. Field and Pool, or Wildcat Bisti Lower Gallup
15. Elevation (Show whether DF, RT, GR, etc.) 6832' GR	12. County San Juan

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

This well has reached the economic limit and is no longer profitable to operate.  
Plans are to plug and abandon this well; plugging as follows:

First Plug - 100' plug across Gallup Zone perforations 5301-5409'  
Second Plug - 50' inside the 5-1/2" casing and 50' above where casing is shot in two  
Third Plug - 150' cement plug extending downward from above the Fruitland Coal  
section across the Pictured Cliffs Sand  
Fourth Plug - 100' plug at bottom of Ojo Alamo Sand (unless surface casing is set  
through the Ojo Alamo Sand)

10 sacks of cement in top of surface casing with dry hole marker



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE District Operations Supt. DATE June 18, 1971

APPROVED BY [Signature] TITLE SUPERVISOR DIST. DATE JUN 21 1971

CONDITIONS OF APPROVAL, IF ANY: