



1st Atlas
2nd Atlas
(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4.
Approval expires 12-31-60.

Land Office _____
Lease No. **SF 078344 A**
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 1, 1958

Well No. 2 is located 1980 ft. from [N] line and 1980 ft. from [W] line of sec. 34

NW/4 Sec. 34 25N 10W NMPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Undesignated San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6735.0ft. Ground Level, Ungraded

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Objective Horizon: Lower Gallup sand, at about 5300'
Surface String: 8 5/8", 24#, J-55, at 200'
Oil String: 5 1/2", 15.50#, J-55, at 5400'
Mud Program: Wt. 9.5#, Vis. 40-50, Filt. 10 (Begin at 500')
Cementing Intervals: 0' to 200', Estimate 3700' to 5400'
Coring Program: None Anticipated



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Petro-Atlas Incorporation

Address 729 East Main

Farmington, New Mexico

By Lennie Kramer

Title Superintendent

2nd Notice
al
C-128 Rtd
7-8-58