Form 9-331a							

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Offic	. Zate	Ta
Lease No.	SF_4.795	58
Unit L	on kin It	ne.

# ND DEBODTS ON WELLS

TO DOU'S	SUBSEQUENT REPORT OF WATER SHUT-OFF
IOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO CHANGE PLANS	and a second
NOTICE OF INTENTION TO TEST WATER SHOT-OFF	DEPAIR
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSPOLIENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	
NOTICE OF INTENTION TO PULL OR ALTER CASING	<u> </u>
NOTICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CHECK M	IARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
	June 24, 1952
ell Nois located 666 ft. fr	rom. $\begin{bmatrix} N \end{bmatrix}$ line and $\underbrace{660}$ ft. from $\underbrace{\begin{bmatrix} E \end{bmatrix}}$ line of sec. $\underbrace{30}$
NE/A Section 31 25%	(Range) (Meridian)
(1/4 Sec. and Sec. No.)	inty or Subdivision) (State or Territory)
(Field) (Cou	inty or Subdivision) (State or Territory)
he elevation of the derrick floor above sea	a level is ft.
DE	TAILS OF WORK
tate names of and expected depths to objective sands; sho	ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemer d all other important proposed work)
tate names of and expected depths to objective sands; sho	ow sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemer d all other important proposed work)
the arm intention to drill well	No. I to ubblextrangery Nov. or seem
t is our intention to drill well be Gallup formation. Our cosing	progress is as follows:
t is our intention to drill well be Gallup formation. Our ocaing 300° of 10-3/4° OD ensing, common 500° of 5-1/2° OD ensing, common	progress is as follows: Led with 200 sks. of regular comment - circular ad with 250 sks. of regular comment.
t is our intention to drill well be Gallup formation. Our ocaing 300° of 10-3/4" OD essing, common 500° of 5-1/2" OD essing, common	progress is as follows: Led with 200 sks. of regular comment - circular ad with 250 sks. of regular comment.
t is our intention to drill well he Callup formation. Cur casing 300' of 10-3/4" OD casing, coments 500' of 5-1/2" OD casing, coments he designated drilling unit is the	progress is as follows:
t is our intention to drill well he Callup formation. Cur casing 300' of 10-3/4" OD casing, coments 500' of 5-1/2" OD casing, coments he designated drilling unit is the	progress is as follows: Led with 200 sks. of regular comment - circular ad with 250 sks. of regular comment.
t is our intention to drill well be Gallup formation. Our ocaing 300° of 10-3/4" OD essing, common 500° of 5-1/2" OD essing, common	progress is as follows: Led with 200 sks. of regular comment - circular ad with 250 sks. of regular comment.
t is our intention to drill well he Callup formation. Cur exits 300° of 10-3/4° OD exiting, coments 500° of 5-1/2° OD exiting, coments the designated drilling unit is the	progress is as follows: Led with 200 sks. of regular comment - circular ad with 250 sks. of regular comment.
t is our intention to drill well he Callup formation. Cur casing 300' of 10-3/4" OD casing, coments 500' of 5-1/2" OD casing, coments he designated drilling unit is the	progress is as follows: Led with 200 sks. of regular comment - circular ad with 250 sks. of regular comment.
t is our intention to drill well he Gallup formation. Our ocaing 300° of 10-3/4° OD casing, commit 500° of 5-1/2° OD casing, commits he designated drilling unit is the county, New Mexico.	progress is as follows:  Led with 200 sks. of regular coment - circular ad with 250 sks. of regular coment.  The HE/A HE/A of Section 31-25%-10%, San Just
t is our intention to drill well be Callup formation. Our ocaing 360° of 10-3/4" OD casing, caments 500° of 5-1/2" OD casing, caments to designated drilling unit is thousty, New Hexico.	progress is as follows:  Led with 200 sks. of regular coment - circular ad with 250 sks. of regular coment.  The HE/A HE/A of Section 31-25%-10%, San Just
t is our intention to drill well be Callup formation. Our casing 360° of 10-3/4° OD casing, coments 500° of 5-1/2° OD casing, coments be designated drilling unit is the county, New Hexico.	progress is as follows: Led with 200 sks. of regular comment - circular ad with 250 sks. of regular comment.
is our intention to drill well be ballup formation. Our office of 10-3/4" OD office, coments 500° of 5-1/2" OD casing, coments to designated drilling unit is the designated drilling unit is the cunty, New Maxico.	progrem is as follows:  led with 200 sks. of regular coment - circular ed with 250 sks. of regular ossessit.  Mr. HE/L of Section 31-25%-10%, San Juan  oval in writing by the Geological Survey before operations may becommended
t is our intention to drill well be Callup formation. Our ocaing 360° of 10-3/4" OD casing, caments 500° of 5-1/2" OD casing, caments to designated drilling unit is thousty, New Hexico.	progrem is as follows:  led with 200 sks. of regular coment - circular ed with 250 sks. of regular ossessit.  Mr. HE/L of Section 31-25%-10%, San Juan  oval in writing by the Geological Survey before operations may becommended
is our intention to drill well as Callup formation. Our of air of 10-3/4" OD casing, commit 500' of 5-1/2" OD casing, commit to designated drilling unit is thounty, New Maxico.  I understand that this plan of work must receive approach to the company	progrem is as follows:  led with 200 sks. of regular coment - circular and with 250 sks. of regular ossessit.  he HE/L ME/L of Section 31-25%-10%, San Justs  oval in writing by the Geological Survey before operations may be commenced.
is our intention to drill well se Gallup formation. Cur of all of 10-3/4" OD or sing, coment 500° of 5-1/2" OD casing, coment to designated drilling unit is thoughty, New Maxico.	progrem is as follows:  led with 200 sks. of regular coment - circular ed with 250 sks. of regular ossessit.  he HE/A HE/A of Section 31-25%-10%, San Juan  oval in writing by the Geological Survey before operations may be commenced
is our intention to drill well to Gallup formation. Cur of airg  100° of 10-3/4° OD casing, commit  100° of 5-1/2° OD casing, commit  1000 of 5-1/2° OD casing, commit  1 understand that this plan of work must receive approach  Company	progrem is as follows:  led with 200 sks. of regular coment - circular and with 250 sks. of regular ossessit.  he HE/L ME/L of Section 31-25%-10%, San Justs  oval in writing by the Geological Survey before operations may be commenced.
is our intention to drill well to Callup formation. Cur of angle 100' of 10-3/4" OD casing, commit to designated drilling unit is the county, New Maxico.  I understand that this plan of work must receive appro-	progrem is as follows:  led with 200 sks. of regular coment - circular ed with 250 sks. of regular ossessit.  he HE/A HE/A of Section 31-25%-10%, San Juan  oval in writing by the Geological Survey before operations may be commenced

#### NEW MEXICO OIL CONSERVATION COMMISSION

### Well Location and Acreage Dedication Plat

Section A	•				D	ate	me 21., 1957		-
Operator_	SKELLY	OIL COMPANY		Lease	LOCKHART "A	11			
"ell No.	10	Unit Letter	A Section	31	Township_2	5 NORTH	Range <u>]0                                    </u>		NMPM Line
Located	660	Feet From	n the NORTH	Line,	660 Feet	Acroso	the EAST	LO A	
County	SAN JUA	UN G.	L. Elevatio	·II	Dedicated	ACT Cay	4		31 0 3
Name of P	roducin	g rormation	owner* in t	he dedicate	Pool Pool Pool	lined o	n the plat be	low?	
Yes w	ŧ	No •							
0 If +h	O DEWA	r to question	n one is "no	," have the	e interests of	all th	e owners beer	1	
conso	lidated	by communit	ization agre	ement or of	therwise? Yes	No	. It ar	iswer 1	S
"yes,	" Type	of Consolida	tion	# 1:-+ -1:	1 the owners	nd thai	m machactiva	intere	c+c
		r to question	n two is "no	), 115t al.	l the owners a	na cher	1 respective	1110010	303
bel <b>ow</b>	' <b>:</b>						r respective	-3	
		Owner			Land Descr	iption	12.00	0,72	
							V. 10, 31	CALLS.	ذ
							- 10, Ch. 4	HIL	<u> </u>
							My Oak Area		
							- CONON-	<del></del>	
						,	S. 11/10.		
Condition D				<del></del>			EARTH		
Section B		· · · · · · · · · · · · · · · · · · ·	<del></del>				<b>\</b> *		
	į			1	999		s to certify		.he
					1 2		ation in Sec		_
					0-660'-		is true and best of my		
	]				Ī	and be		Knowled	.ge
ĺ	İ					and be	:ILCI•		
<u> </u>						SKILL	Y OIL CONTANT		
		1		1			(Operator)		
•				1		i Sà co	ned) P. E. Co	sper	
							Representativ		
				ı		( )	representativ	<del>e</del> )	
		1		l I		Ben 426	Permington,	ion lies	des
		1	31	; 1			Address		
			- 1 31						
		1		t				46.4.4	- h
		1		1			is to certify location show		
				ĺ		nlat i	in Section B	was plo	tte
		1		İ		from	field notes o	f actua	1
		[		į		surve	ys made by me	or und	der
1		İ		į		my su	pervision and	that t	:he
<u> </u>						same :	is true and c	orrect	to
		1		i			est of my kno	wreage	and
		<u>.</u> 1		1		belie:	Surveyed 20	JUNE 19	57
		!		1		Date .		1	
				ļ		Com	a R. d	era	<b></b>
		1		1	(1		tered Profess		
		<u> </u>				Engine	eer and/or La	nd Surv	reyo
0 330 66	0 990 12	20 1650 1980 23	10 2640 20	000 1500	1000 500 0		James P	. Leese 1463	
C 350 20	- 250 13		-				ficate No		
		(See ins	tructions fo	r completin	ng this form o	n the r	everse <b>side)</b>		

#### INSTRUCTIONS FOR COMPLETION:

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the platter the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

<sup>\* &</sup>quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)