UNITED STATES SUBMET IN TRIPLICATES DEPARTMENT OF THE INTERIOR (Other Instructions on reverse side) UNITED STATES

GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.) 1. OIL WELL OTHER Water Injection 2. NAME OF OPERATOR Skelly Oil Company	7. In 1917 Acres Acres Acres (Assert Const.) 7. Instruction (Assert Const.) 7. Instruction (Assert Const.)
WELL WELL OTHER Water Injection 2. NAME OF OPERATOR	
Skelly Oil Company	H, PARM HIS I PARE TO TE
3. ADDRESS OF OPERATOR	9. WELL NO.
1860 Lincoln Street, Denver, Colorado 80203 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)	56 10, FIELD AND POOL, OR WHITEAT
At surface 660' FNL & 660' FEL Section 31-25N-10W	Bisti Lower Gallup
14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)	Section 31-25N-10W
GR 6728'	San Juan New Mexico
Check Appropriate Box To Indicate Nature of Notice, Report, or C	Other Data
	INNT REPORT OF:
TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF FRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT	PERAIRING SOLL ANY RESE CASENG
SHOOT OR ACIDIZE ABANDON® XX RHOOTING OR ACIDIZING	SEANDONMENT*
	of multiple completion on Well ction Report and Leg form.
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical near to this work.) *	including estimated date of starting any ald depths for all markers and zones perti-
All depths shown are from Ground Level.	
This well has reached the economic limit and is no longer pr Plans are to plug and abandon this well; plugging as follows	<u>-</u>
First Plug - (5105'- 5205') 100' plug across the Gallup Zo	one Perfs. 5134-5185'
Second Plug- 50' inside of the 5-1/2" casing and 50' above w	where casing is whot in two
Third Plug - (1430' - 1580') 150' plug extending downward f coal section across the Pictured Cliffs Sand	rom above the Fruitland
Fourth Plug- (725'- 825') 100' plug extending from 50' a bottom of the Ojo Alamo Sand	above to 50° below the
10 sacks of cement in top of surface casing with dry hole ma	arker
18. I hereby certiffy that the foregoing is true and correct	192 00 1971
81GNED 10. Lead Clerk	DATE Jul 9 20, 99M.
(This space for Federal or State office use)	
APPROVED BYTITLE	DATE