

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Budget Bureau No. 42-E-850  
Approval expires 12-31-55.

Indian Agency Navajo Allotment

Allottee Wadsworth

Lease No. 11-20-403-1370

# SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo-Dee-Pah Eaton

September 4

19 57

Well No. 2 is located 2310 ft. from SW line and 1450 ft. from E line of sec. 30

SE/4 Sec. 30  
(1/4 Sec. and Sec. No.)

24N  
(Twp.)

10W  
(Range)

RMPM  
(Meridian)

Dist 1  
(Field)

San Juan County  
(County or Subdivision)


New Mexico  
(State or Territory)

The elevation of the derrick floor above sea level is 6649 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled 7 7/8" hole to 5290'. Top Gallup Sand @ 5122' - set 5 1/2" O.D.  
1 1/2" J 55 Casing @ 5249'. Cemented with 150 sacks cement. Top of cement @  
3673' by Temperature Survey. Tested casing to 1200 psi for 30 minutes with  
no pressure drop. Float collar @ 5213'.



RECEIVED

SEP 6 1957

U. S. GEOLOGICAL SURVEY  
FARMINGTON, NEW MEXICO

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sunray Mid-Continent Oil Co.

Address All West Main

Farmington, New Mexico

By

Title Foreman