

APPROVED

(SUBMIT IN TRIPLICATE)

JUL 27 1956

UNITED STATES

JERRY W. **DEPARTMENT OF THE INTERIOR**
ACTING DISTRICT ENGINEER
GEOLOGICAL SURVEYLand Office Santa Fe, New Mex.Lease No. 273068

Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 17, 1956

Well No. 21-29 is located 660 ft. from [N] line and 1200 ft. from [W] line of sec. 29

14 Sec. 29 (1/4 Sec. and Sec. No.) 25N (Twp.) 12W (Range) N.M.P.M. (Meridian)
Wildcat (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 6361 ft.**DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Perforated with two bullet shots per foot and two cone shots per foot from 4779 to 4797. Treated perforations with 5 bbls. mud acid. Formation took acid at 1100#. Sand oil frac perforations with 35,000 gal oil and 35,000# sand, flushed with 180 bbls. Shut well in for 8 hours.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Frank R. Anderson, Petroleum ProducerAddress 901 Sherman St. Suite #108, Denver, ColoradoBy Charles S. VickersTitle Geologist