WELL 2. NAME OF OPERATOR

UI TED STATES SUBMIT IN TRIP DEPARTME... OF THE INTERIOR (Other in verse side)

ATE*

Form approved. Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

	NI 4	\sim	L SI	ID/	/CV

SUNDRY	NOTICES	AND	REPORTS	ON	WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals.)

7.	UNIT AGE	EEMENT	NAME	
	3006	Te 2 2 2 2 2	19.4	f.a.

8. FARM OR LEASE NAME

i Company, Production Department 3. ADDRESS OF OPERATOR

OTHER

LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)

At surface

333' Fig. & 560' FEE.

GAS WELL

7 10. FIELD AND POOL, OR WILDCAT

Bioti, Lovet Callup

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

26, 25N-11W

12. COUNTY OR PARISH | 13. STATE

9. WELL NO.

New Mexico

16.

14. PERMIT NO.

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5590° DT

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF PULL OR ALTER CASING MULTIPLE COMPLETE

ABANDONS CHANGE PLANS SUBSEQUENT REPORT OF:

WATER SHUT-OFF REPAIRING WELL FRACTURE TREATMENT SHOOTING OR ACIDIZING

ALTERING CASING ABANDONMENT*

(Other) (NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Well No. 31 is a water injection well with perforations from 5044' - 5050' in the top some. We propose to drill out cement and perforate the second zone for water injection. Our plan is as follows:

- Move in and rig up pulling unit.
- 2. Pull tubing and packer.
- Drill out cament to 5096'.

Perforate second zone in Gallup from 5063' - 5075' with 4 jets/ft

AUG 22 1968 OIL CON. COM.

DIST. 3

- Acidize with 200 gallons MCA.

that rubing with packer and set at 5000'.

Inject water through casing perforations 5044'-5050' and 5063'-5075'. 7.

18. I hereby certify that the foregoing is true and correct Superintendent TITLE District Operations August 8, 1968 SIGNED DATE _ (This space for Federal or State office use) APPROVED BY CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

U. S. GEOLOGICAL SURVEY FARMINGTON, N. M.