


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe, N.M.
Lease No. 97 071064
Unit Carson Unit



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 27, 1959

Well No. Carson Unit is located 660 ft. from [N] line and 660 ft. from [E] line of sec. 24
SE 24 25N 12E T 1R
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Sinti San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)


The elevation of the Kelly Dishing ~~derick floor~~ above sea level is 6464 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudied 4-20-59

4-20-59 Ran and Cemented (93') 8-5/8", 240, J-55 casing at 103' with 100 sacks,
to 119 cu. ft. Portland cement, treated with 2% calcium chloride, surface
4-21-59 temperature 50°F, formation temperature 70°F, estimated strength after
12 hours, 1000 psi. Flashed up and tested on cement. Tested BOP and
casing with 700 psi., okay.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company
Address 705 West Municipal Drive
Farmington, New Mexico

By R. S. Mac Allister, Jr.
Title Division Exploitation Engineer