(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Ag	ency Metrajo Allohod
Allottee	Window Rook
Lease No.	14-20-603-1360

SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. SUBSEQUENT REPORT OF ACIDIZING. SUBSEQUEN	OTICE OF INTENTION TO DRILL	I	2 .	CURCOURAT PEROPE OF WATER AND
SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF REDRIED FROM VELD. SUBSEQUENT REPORT OF ADAPONOMENT. SUBSEQUENT REPORT. SUBSEQUENT REPORT OF ADAPONOMENT. SUBSEQUENT REPORT. SUBSEQUENT REPORT. SUBSEQUENT REPORT. SUBSEQUENT REPORT. SUBSEQUENT				
SUBSEQUENT REPORT OF REDRIE OF REPORT WELL SUBSEQUENT REPORT OF REDRIE OF REPORT OF REPORT OF REDRIE OF REPORT OF REPORT OF REPORT OF REPORT OF REDRIE OF REPORT OF R			li li	
SUBSEQUENT REPORT OF ABANDONMENT INCE OF INTENTION TO PULL OR ALTER CASING. INCE OF INTENTION TO PULL OR ALTER CASING. INCE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE B			- II	
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF REPORT, NOTICE, OR OTHER DATA [INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF	TICE OF INTENTION TO SHOOT OF	R ACIDIZE	11	
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) RAFEL 2-NOOD No	TICE OF INTENTION TO PULL OR	ALTER CASING		SUPPLEMENTARY WELL HISTORY
No. 1 is located 1999. ft. from S line and 750 ft. from E line of sec	TICE OF INTENTION TO ABANDON	WELL		SURV
No is located	(INDICAT	TE ABOVE BY CHECK MARK	NATUR	Sabara a sa
(Name) (Maridian) (Pield) (County or Subdivision) (State or Territory) (State or Terri	LA-MEL-Z-IKOGO			, 19
(Name) (Meridian) (Pleid) (County or Subdivision) (State or Territory) County or Subdivision) (State or Territory) Clevation of the derrick floor above sea level is ft. DETAILS OF WORK names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, centing points, and all other important proposed work) proposes to drill this well with retary tools to sufficient depth to the proposed to sufficient depth to sufficient depth to the proposed to sufficient depth to the proposed to sufficient depth to sufficien	No. 1 is loc	cated 1999 ft. fro	m {c	line and 760 ft. from E line of sec.
(Field) (County or Subdivision) (State or Territory) elevation of the deriver floor above sea level is DETAILS OF WORK names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, centing points, and all other important proposed work) proposed to drill this well with rotary tools to a sufficient depth to tallup Sand expected \$ 5050°. We propose to set 330° of \$ 5/8° surface cas is exact to surface; to drill through the Gallup Sand section to a depth previousley \$300° and if productive, to set \$ 1/2° casing through same. proposed to gam perforate the casing and cand-cil fracture, if necessary, uplotion. proposed to gam perforate the casing and cand-cil fracture, if necessary, uplotion.	L at 12/L	200	G) 112 2	(v•)
clevation of the derrich floor above sea level is	(14 Sec. and Sec. No.)	(Twp.)	(Rang	ge) (Meridian)
elevation of the derrich moor above sea level is	ei lieid	AAR ARAK		EN ISTICO
DETAILS OF WORK names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, centing points, and all other important proposed work) propose to drill this well with retary tools to a sufficient depth to to like Sand expected \$ 5050°. We propose to set 350° of \$ 5/8" surface case it cannot to surface; to drill through the Gallup Sand section to a depth preximately \$500° and if productive, to set \$ 1/2" casing through sense, propose to gan perforate the casing and sand-cil frequire, if necessary, apistica. Summer Mid-Continent Oil Go. Tess. All West Main	(Field)	(County	or Subd	livision) (State or Territory)
dement to surface; to drill through the Gallup Sand section to a depth preximately 5300° and if productive, to set 5 1/2° easing through seas. propose to gun perferate the casing and sand-eil freeture, if necessary, mplotion. Independent of the casing and sand-eil freeture operations militaries. Sunray Mid-Continent Oil Co. The Continent Oil Co.	names of and expected depths to	o objective sands; show siz	es, weig	ghts, and lengths of proposed casings; indicate mudding jobs, ce
ress All West Main	propose to drill t	ing points, and all o while well with \$ 5050°. We p	rote rote	approach proposed work) 15y tooks to a sufficient depth to to 150 to set 350° of 8 5/8° suffice cap
ress All West Main	o propose to drill taling Sand expected ad example to surface opposizately 5300° a	this well with 6 5050°. We post if producti	rote rope rope vagh	ary tooks to a sufficient depth to to to to set 350° of 8 5/8° surface can the Gallup Sand section to a depth to set 5 1/2° casing through seas.
a Time Rla	propose to drill tallup Sand expected of comment to surface operationally 5300° and perspected operations.	this well with @ 5050°. We post to drill throad if producti	reta repa regh re,	ary tools to a sufficient depth to the set out 350° of 8 5/8° surface can the Gallup Sand section to a depth to set 5 1/2° easing through seas. and sand-eil freeture, if necessary
Paralaghan, N. M. By C. 1 1M9 Cloud	propose to drill taling Sand expected all to surface to surface oppositionally 5300° a surface propose to gam per suplication.	this well with \$ 5050°. We possed if productions the case is must receive approval in	rote rope vage ve,	ary tools to a sufficient depth to the set out 350° of 8 5/8° surface can the Gallup Sand section to a depth to set 5 1/2° easing through seas. and sand-eil freeture, if necessary
	propose to drill to alless Sand emported at coment to surface approximately 5300° at propose to gam per application. understand that this plan of work mpany Sunray Mid-C	his well with a 5050°. We possess the continent oil Gentinent oil Gentin	rote rope vage ve,	ary tools to a sufficient depth to the set out 350° of 8 5/8° surface can the Gallup Sand section to a depth to set 5 1/2° easing through seas. and sand-eil freeture, if necessary
	propose to drill the Sand superted expected expected proximately 5300° and propose to gam per parties. Jerstand that this plan of work any Sunray Mid-Case.	this well with \$ 5050°. We post to drill the send if producting the case th	rote rope vage ve,	By C. T. M. C. C. By By By C. T. M. C. C. C. By By C. T. M. C. C. By By By C. C. By By C. C. By By By C. C. By
	propose to drill the Sand expected coment to surface reximately 5300° a propose to gum per plotion. derstand that this plan of work any Sunray Mid-Cost.	this well with \$ 5050°. We post to drill the send if producting the case th	rote rope vage ve,	ary tools to a sufficient depth to the to to set out 350° of 8 5/8° surface can the Gallup Sand section to a depth to set 5 1/2° easing through sens. and sand-eil freeture, if necessary

30.



NEW MEXICO OIL CONSERVATION COMMISSION

Form C-128

Ernest V. Echohawk Reg. Land Surveyor, N. Mex., Reg. No. 1545

Well Location and/or Gas Proration Plat

		well Locat	ion and/or Gas	Froration Plat		
Operator Sunray)	id-Continent	Oil Company	Lease	Es-ka-nel		
Well No. 1	Section	22	Township	25 North	Range 11 West	NMPM
Located 1980	Feet Fron	South	Line,	760	Feet From East	Line,
San Juar		County	, New Mexico.	G. L. Eleva	ution 6453, ungrad	ied.
Name of Producing F	Formation		Poo		Dedicated Ac	reage
	(Note: All	distances mu	st be from oute	r boundaries o	of Section)	
		1		!		
		i E a		1	RECEI	VES
		•	·			
				l I	FEB 1 3	
		ŀ		;	F48% w + 9	W
		_				• 4
		i		ļ 1		
		!		1		
			,			
,		ļ		1		
			١			
			2 2	1		
		1		1	Rocky, clay buttes	
		1		i 		
NOTE		1	·	[(KI) 160	
NOTE This section of				ļ		
form is to be		· +				
used for gas wells only.		1		=====		
ľ		1		. 27	,980	
				1		
		1		į		
		1		1		
★ ′	SCALE: 1"	::1000'				
1. Is this Well a l	Dual Comp. ? Ye			This is to cer	tify that the above	A STORY
	-		I 4		tes of actual surveys	
	o Question 1 is y		11.3 00.10.1		ervision and that the s	210
	ed wells within t	he dedicated	acitage .		best of my knowledge	
Yes No	neal.	1				
Name	1 Change			Date Surveye	February 8, 19	907188
Position				7	1/ of Co. 1	7

Representing .

Address