Forr (A)	n 9- 8 pril 19	331 b 52)	oot	ion	22
	01				

(SUBMIT IN TRIPLICATE)

UNITED STATES

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency .	*Sadov	Rook	A
Ah-A	ud-sa		
Allottes 663	592		
	20-603-1	437	

SUNDRY NOT	TICES AND REPO	ORTS ON WELLS	
TICE OF INTENTION TO DRILL	SUBSEQUENT	REPORT OF WATER SHUT-GIF	11
TICE OF INTENTION TO CHANGE PLANS	1 11	REPORT OF SHOOTING OR ACIDIZING	
TICE OF INTENTION TO TEST WATER SHUT-		REPORT OF ALTERING CASING	
TICE OF INTENTION TO REDRILL OR REPAIR	! !	REPORT OF REDRILLING OR REPAIR	
TICE OF INTENTION TO SHOOT OR ACIDIZE.	1 5	REPORT OF ABANDONMENT	
TICE OF INTENTION TO PULL OR ALTER CAS	SINGSUPPLEMENTA	ARY WELL HISTORY	
TICE OF INTENTION TO ABANDON WELL			
(INDICATE ABOVE E	BY CHECK MARK NATURE OF REPORT		
A.hMagaNg	***************************************	, his 18, ,	19 .5 7
Nois located	ft. from $\binom{N}{S}$ line and	d 1960 ft. from W line of sec.	22
Set Section 22	25-N 11-N	reference	
	Twp.) (Range)	(Meridian)	
eignated Lower Callup	Sun Juan	Rew Mexico	
(Field)	(County or Subdivision)	(State or Territory)	
elevation of the derrick floor a	hove one level in 6448	f.	
elevation of the delifer moof a	bove sea level is the	rt.	
	DETAILS OF WORL	K	
names of and expected denths to objective		gths of proposed casings; indicate mudding jobs	
ingı	points, and all other important pro	50 am coment. Drilled out	_
er setting 5½" Casing on 5½" Casing to 4968', 7971	D. Tested 51" Cost	ng with 1000 lbs for 30 mis	
or setting 5½" Casing on 5½" Casing to 4968', 7971	D. Tested 5g" Casi	ng with 1000 lbs for 30 mis	
or setting 5½" Casing on 5½" Casing to 4968', 7971	D. Tested 5g" Casi	ng with 1000 lbs for 30 mis	
er setting 5½" Casing on 5½" Casing to 4968', 7971 ore and after Drilling F	D. Tested 5g" Casi	ng with 1000 lbs for 30 mis	
er setting 5½" Casing on 5½" Casing to 4968', 1927	D. Tested 5g" Casi	ng with 1000 lbs for 30 mis	
er setting 5½" Casing on 5½" Casing to 4968', 1927	D. Tested 5g" Casi	ng with 1000 lbs for 30 mis	
er setting 5½" Casing on 5½" Casing to 4968', 1927	D. Tested 5g" Casi	ng with 1000 lbs for 30 mis	
er setting 5½" Casing on 5½" Casing to 4968', 1927	D. Tested 5g" Casi	ng with 1000 lbs for 30 mis	
er setting 5½" Casing on 5½" Gasing to 4968', 7973 ere and after Drilling 7	D. Tested Så* Casi. Lugs. Tested Sk. Ho	break.	
or setting 5½" Casing on 5½" Casing to 4968', 7971	D. Tested 54 Ceed. Lags. Tested 3K. Ho	break.	

Company MAGNILIA PETROLEUM COMPANY

Address P.O. BOX 633

By R.T. Children Superintendent

Title Division Superintendent

1 - 2 - 2 - 1 - 1 - 2 - 3

(SUBMIT IN TRIPLICATE)

Indian Agency Tindow Took, Aris

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	204 200 A A A A A A A A A A A A A A A A A A
	Allottee 62-592
t	rect 120-503-143
	ease No. 4 - Section 1997

SUNDRY NO	TICES AND R	EPURIS UN WELLS
NOTICE OF INTENTION TO DRILL	SUBSEC	QUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEC	QUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT	r-offsubsec	QUENT REPORT OF ALTERING CASING.
NOTICE OF INTENTION TO REDRILL OR REPA	IR WELL SUBSEC	QUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZ		QUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER C	ASING SUPPLE	EMENTARY WELL HISTORY.
NOTICE OF INTENTION TO ABANDON WELL		A
At-Ain-ia Vell No. 1 is located	1900 ft. from (c) lin	ne and 1930 ft. from W line of sec. 22
Section 2	[5] 25-N 11-N (Twp.) (Range)	(Meridian)
einsted over allup	in Juan	New Sexico
(Field)	(County or Subdivision	
	DETAILS OF V	WORK
he elevation of the derrick floor	DETAILS OF V	WORK and lengths of proposed casings; indicate mudding jobs, cem
ter Setting 318' of 8-5/6 ment, Tested with 800 lbs	DETAILS OF \ ive sands; show sizes, weights, a g points, and all other imports Turface casing for 30 minutes b	WORK and lengths of proposed casings; indicate mudding jobs, cem
ter Setting 318 of 3-5/6 ment, Tested with 800 lbs	DETAILS OF \ ive sands; show sizes, weights, a g points, and all other imports Turface casing for 30 minutes b	work and lengths of proposed casings; indicate mudding jobs, cemular proposed work) on bottom at 318' with 150 ex refore and after ari ling alug.