

(SUBMIT IN TRIPLICATE)


UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

| Land Office | Sente | Fo, | H.M. |
|-------------|-------|------|------|
| Lease No. | M OT | 9061 | |
| Unit | Carpa | • | |

SUNDRY NOTICES AND REPORTS ON WELLS

| NOTICE OF INTENTION TO DRILL | SUBSEQUENT REPORT OF WATER SHUT-OFF |
|--|--|
| NOTICE OF INTENTION TO CHANGE PLANS | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF. | SUBSEQUENT REPORT OF ALTERING CASING. |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR. |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | SUBSEQUENT REPORT OF ABANDONMENT |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | SUPPLEMENTARY WELL HISTORY |
| TO REPUBLIE WELL | |
| (INDICATE ABOVE BY CHECK MARK NA | ATURE OF REPORT, NOTICE, OR OTHER DATA) |
| | April 17 . 19 5 |
| Well No. 12-20 is located 1969 ft. from | line and ft. from line of sec. |
| 85/A 15/A 20 253 | 111 nev |
| | ange) (Meridian) |
| (Field) | In heles |
| (Field) (County or St | (State or Territory) |
| The elevation of the state of t | sis6455 ft. (Approx. grand KLULI) |
| | The state of the s |
| | |
| DETAILS | S OF WORK |
| DETAILS State names of and expected depths to objective sands; show sizes, w | S OF WORK weights, and lengths of proposed casings, (add) |
| DETAILS State names of and expected depths to objective sands; show sizes, w ing points, and all other | weights, and lengths of proposed casings; indicate audimy supplies important proposed work) |
| State names of and expected depths to objective sands; show sizes, w ing points, and all other | weights, and lengths of proposed casings; indicate audding Comments important proposed work) |
| DETAILS State names of and expected depths to objective sands; show sizes, wing points, and all other 1. E-111 12-1/4* hole to 2004. | weights, and lengths of proposed casings; indicate sudding the priment important proposed work) |
| State names of and expected depths to objective sands; show sizes, wing points, and all other 1. Pill 12-1/4* bole to 200*4. | weights, and lengths of proposed casings; indicate audding priments important proposed work) |
| State names of and expected depths to objective sands; show sizes, wing points, and all other 1. Pill 12-1/4* bole to 200*4. | weights, and lengths of proposed casings; indicate audimy Applicants important proposed work) |
| State names of and expected depths to objective sands; show sizes, wing points, and all other. 1. Brill 12-1/4" hole to 200'4. 2. Run and comest 3-5/8" conting at 3 | weights, and lengths of proposed casings; indicate audding with ment- important proposed work) |
| State names of and expected depths to objective sands; show sizes, wing points, and all other 1. Pill 12-1/4* bole to 200*4. | weights, and lengths of proposed casings; indicate audding Achiments important proposed work) |
| State names of and expected depths to objective sands; show sizes, wing points, and all other 1. Brill 12-1/4" hole to 200'4. 2. Sun and coment 5-5/8" enging at 3 3. Brill 7-7/8" hale to total depth | weights, and lengths of proposed casings; indicate audding subtiments important proposed work) Off with 100 sacks construction conent. |
| State names of and expected depths to objective sands; show sizes, wing points, and all other. 1. Brill 12-1/4" hole to 200'4. 2. Run and comest 3-5/8" conting at 3 | weights, and lengths of proposed casings; indicate audding subtiments important proposed work) Off with 100 sacks construction conent. |
| 1. Brill 12-1/4" hole to 200'4. 2. Run and coment 8-5/8" enging at 3 3. Brill 7-7/8" hale to total depth | weights, and lengths of proposed casings; indicate audding subtiments important proposed work) Off with 100 sacks construction conent. |
| State names of and expected depths to objective sands; show sizes, wing points, and all other 1. Brill 12-1/4" hole to 200'4. 2. Sun and coment 5-5/8" enging at 3 3. Brill 7-7/8" hale to total depth | weights, and lengths of proposed casings; indicate audding subtiments important proposed work) Off with 100 sacks construction conent. |
| State names of and expected depths to objective sands; show sizes, wing points, and all other 1. Brill 12-1/4" hole to 200'4. 2. Sun and coment 5-5/8" enging at 3 3. Brill 7-7/8" hale to total depth | weights, and lengths of proposed casings; indicate audding subtiments important proposed work) Off with 100 sacks construction conent. |
| State names of and expected depths to objective sands; show sizes, wing points, and all other. 1. Brill 12-1/4" hole to 200"4. 2. Run and comment 8-5/8" coming at 2 3. Brill 7-7/8" hale to total depth 4 4. A supplementary notice will be in | weights, and lengths of proposed casings; indicate audding subtiments important proposed work) 100 |
| ing points, and expected depths to objective sands; show sizes, wing points, and all other. 1. Brill 12-1/4" hole to 200"4. 2. Run and concert 5-5/8" coming at 2 3. Brill 7-7/8" hale to total depth 4 4. A supplementary notice will be in | weights, and lengths of proposed casings; indicate audding subtiments important proposed work) 100 |
| ing points, and all other ing points, and all other | weights, and lengths of proposed casings; indicate audding Authority important proposed work) 100 to with 100 sacks construction coment. 1045 to (Gallup) 100 to completion. |
| State names of and expected depths to objective sands; show sizes, wing points, and all other ing points, and all other ing points, | weights, and lengths of proposed casings; indicate audding subtiments important proposed work) 100 |
| State names of and expected depths to objective sands; show sizes, wing points, and all other. 1. Brill 12-1/4" hole to 200"1. 2. Run and comment 4-5/8" coming at 2 3. Brill 7-7/8" hale to total depth 4 4. A supplementary notice will be in | weights, and lengths of proposed casings; indicate audding subtiments important proposed work) 100 |
| 1. Prill 12-1/4" bole to 200'4. 2. Rem and concent 3-5/8" coming at 3 3. Prill 7-7/8" hale to total depth 4. A emplomentary notice will be in I understand that this plan of work must receive approval in writing | weights, and lengths of proposed casings; indicate audding with the proposed work) 1001 with 100 sacks construction conent. 1002 with 100 sacks construction conent. 1003 with 100 sacks construction conent. |
| 1. Prill 12-1/4" bole to 200'4. 2. Rem and concent 3-5/8" coming at 3 3. Prill 7-7/8" hale to total depth 4. A emplomentary notice will be in I understand that this plan of work must receive approval in writing | weights, and lengths of proposed casings; indicate audding subtiments important proposed work) 100 |

•



REFERENCE POINT DATUM-

⊚= G.L.O. Brass Cap Found

I'X 2" STAKES SET AT 10' N.,S.,E., a. W. OF LOC. 1.P. and 3' flag set at 150' N., S., E., & W. of Loc. 1" I.P. and 8' flag set at Loc. being 1980' S. & 660'B. of the NW. Cor of Sec. 20, T.25N., R.11W., N.M.P.M. in I.P. and 3' flag bears N.45-18'E. a distance of 438' from the Loc. for B.M. An Indian Hogan bears S. 9.18'W.-580' from Loc. This is to certify that the above plat was prepared from field notes of an actual survey made under my supervision

on April 4, 1957, and that the same is true and correct to the best of my knowledge and belief,

April 8, 1957

John A. Kroeger - Reg. N.M. Reg. No 1941

Drawn By: A.C.T.

Checked By: Date: 4/8/57 SHELL OIL COMPANY

Scale |"= 1000"

LOCATION OF CARSON UNIT 12-20

SAN JUAN COUNTY, N.M., SEC. 20, T.25H., R.11W., N.M.P.M.