


Form 9-331a
(Feb. 1951)



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office _____
Lease No. SP 078061
Unit Carson

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

Notice of Intention to Complete Well X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 24, 1957

Well No. 34-17 is located 660 ft. from SW line and 1942 ft. from E line of sec. 17

SW SE 4
(1/4 Sec. and Sec. No.)

25N
(Twp.)

11W
(Range)

10PM
(Meridian)

Risti
(Field)

San Juan
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the Kelly Bushing floor above sea level is 6402.9 ft.



DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding, cementing points, and all other important proposed work)

Status - Total Depth: 5032
Casing: 8 5/8" at 212
Hole Size: 7 7/8" from 212 - 5032

Proposed Work -

1. Cement 4 1/2" casing at 5028 with 200 sacks cement.
2. Cleanout to 5000'.
3. Perforate four 1/2" holes/ft select intervals 4775-4950.
4. Hang 2 3/8" tubing at bottom of perforations.
5. Sub well into production, establish initial rate.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company

Address 106 N. Behrend

Farmington, N. Mexico

By B. W. Shepard
B. W. Shepard
Title Exploitation Engineer

