



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office San Antonio, Texas
Lease No. 12-13801
Unit Larson Unit

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 113-17 is located 1980 ft. from S line and 540 ft. from W line of sec. 17

17 (1/4 Sec. and Sec. No.) 22N (Twp.) 11W (Range) T12N (Meridian)
1st (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the Kelly casing above sea level is 5427 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spud 11-11-58

11-13-58 Run and cemented (1192') 10-3/4", 32.750, J-55 casing at 1204' with 500 cubic feet 1:1 slurry and 200 sacks 240 cubic feet treated with 2% calcium chloride (Surface temperature = 200°, formation temperature 800° estimated strength after 12 hours = 1200). Good returns to surface. Flanged up and waited on cement. Located top of cement at 1116', pressure tested casing and BOP with 1500 psi.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company
Address 705 Municipal Drive
Farmington, New Mexico

Original signed by
B. W. SHEPARD
By B. W. Shepard
Title Geological Engineer