

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Santa	Fe			
	078630				
Unit	Foste				

	SUNDRY N	OTICES AN	D REPO	ORTS	ON WEL	LS
NOTICE OF IN	TENTION TO DRILL		SUBSEQUENT		ATER SHUT-OFF	
NOTICE OF IN	TENTION TO CHANGE PLAN	IS	SUBSEQUENT			ZING
NOTICE OF IN	TENTION TO TEST WATER	SHUT-OFF	SUBSEQUENT	REPORT OF A	LTERING CASING	
NOTICE OF IN	TENTION TO RE-DRILL OR	REPAIR WELL	SUBSEQUENT	REPORT OF R	EDRILLING OR RE	PAIR
NOTICE OF IN	TENTION TO SHOOT OR AC	IDIZE			BANDONMENT	
1	TENTION TO PULL OR ALT		SUPPLEMENTA	RY WELL HIS	TORY	Sandfrac x
NOTICE OF IN	TENTION TO ABANDON WE	LL	Dubseq	QQ110 1t	cpor o oz	
	(INDICATE A	BOVE BY CHECK MARK NA	TURE OF REPORT	, NOTICE, OR	OTHER DATA)	
		•		Septem	ber 18th	, 19_56
Well No	is locat	ed 1780 ft. from	${\bf N} {S}$ line and	119 0 .1	t. from $\left\{ egin{array}{c} oldsymbol{\mathbb{Z}} \\ oldsymbol{\mathbb{W}} \end{array} \right\}$ l	ine of sec
NW/4 St	1/4 Sec. 13 and Sec. No.)	25N	8W	N. N.	P.M.	
(%, 880	and sec No.)	San	Juan	(New Me	exico
£	Ballard (Field)	(County or	Subdivision)		(State or T	'erritory)
The elevation	on of the derrick fl	oor above sea leve	l is _697 5 :	ft.		
			s of wor			
(State names of	and expected depths to o					
-2 9 -5 6	water and well sanded unloaded. Perforated from 2610-223,192 gall 3,100 gallo pressure 18	eated from 2 0,000# sand, up after tr Set Baker M- with # holes 2614'. Sandf lons water and sand water. If 800#, final prominute. If	flushed reatment. 400 CI k s per foo fraced th d 45,000 Breakdown pressure Orilled	cles cridgin ct from crough ch press 1400# cout bri	j,000 ga. med out a g plug a i 2590-260 perforat; i, flushe ure 1400 injection	sand and t 2618'. 05' and ions with d with #, treating on rate 42.
	d that this plan of work #		riting by the Geo	ological Surve	y before operation	as may be comme nce d.
Company	PETRO-ATLAS	CORPORATION				
Address	7th Floor,	Simms Buildi	ng	•		20 1
	Albuquerque	New Mexico		Ву(on E	Solach
			7	Title	Presiden	t

