

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

SP-078064

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

-

7. UNIT AGREEMENT NAME

Carson Unit

8. FARM OR LEASE NAME

E. W. Mudge #3

9. WELL NO.

Gov't. 23-13

10. FIELD AND POOL, OR WILDCAT

Biati Field

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Section 13, T. 25 N.,
R. 12 W., N.M.P.M.

12. COUNTY OR PARISH

San Juan

13. STATE

New
Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. ☒ OIL WELL ☐ GAS WELL ☐ OTHER		7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR Shell Oil Company		8. FARM OR LEASE NAME E. W. Mudge #3
3. ADDRESS OF OPERATOR P.O. Box 999, Bakersfield, Calif. 93302		9. WELL NO. Gov't. 23-13
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1980' north and 1980' east of the southwest corner of Section 13, T. 25 N., R. 12 W., N.M.P.M., San Juan County, New Mexico.		10. FIELD AND POOL, OR WILDCAT Biati Field
14. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Section 13, T. 25 N., R. 12 W., N.M.P.M.
15. ELEVATIONS (Show whether DF, RT, GR, etc.)		12. COUNTY OR PARISH San Juan
		13. STATE New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Set bridge plug.

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

See Attached History.



18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

DATE

SEP 30 1968

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

Bisti

£15.50

San Juan, New Mexico

COUNTY

SHELL OIL COMPANY RECONDITIONING REPORT

7-11-68

tc

7-12-68

2501

PERIOD

50

Section 13, E.W. Mudge #3
(SECTION OR LEASE)

(SECTION OR LEASE)

T. 25 N., R. 12 W., N.M.P.M.

(TOWNSHIP OF VANCOUVER)

DATE	REMARKS (SHOW SIZE AND TYPE TOOLS RUN)																																																	
	Location: 1980' north and 1980' east of the southwest corner of Section 13, T. 25 N., R. 12 W., N.M.P.M., San Juan County, New Mexico. Elevation: K.B. 6399.9', Gr. 6391.2'. Total Depth: 5010', plug 4925'. Casing: 8-5/8" cemented at 101'. 4-1/2" cemented at 5010', perforated 4871-4900', 4907-4916', 4946-4951', 4956-4970', and 4974-4984'. Objective: Set a wire line bridge plug.																																																	
July																																																		
11	Pulled tubing and packer. Set a Baker cast iron bridge plug at 4904'.																																																	
12	Reran tubing and packer, resumed injection.																																																	
END AFTER																																																		
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="5">CONDITION BEFORE OF PERIOD</th> <th colspan="2">CONDITION AFTER WORK (CROSS OUT ALL BUT APPROPRIATE ITEMS)</th> </tr> <tr> <th colspan="3">HOLE</th> <th>CASING SIZE</th> <th>DEPTH SET</th> <th colspan="2"></th> </tr> <tr> <th>SIZE</th> <th>FROM</th> <th>TO</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td>8-5/8"</td> <td>101'</td> <td>DEPTH (ORIGINAL)</td> <td>5010'</td> </tr> <tr> <td></td> <td></td> <td></td> <td>4-1/2"</td> <td>5010', perforations effective 4871-4900'</td> <td>DEPTH LAST (RD. OR DE.)</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>DEPTH PRESENT EFFECTIVE</td> <td>4904'</td> </tr> <tr> <td colspan="5"></td> <td colspan="2"> NOTE--IN ADDITION TO REPORTING ROUTINE RECONDITIONING OPERATIONS, USE THIS FORM FOR REPORTING THE FIRST INSTALLATION OF PUMPING EQUIPMENT (UNLESS WELL WAS ORIGINALLY COMPLETED ON THE PUMP), BAD CASING, FISH LEFT IN HOLE, ETC., THAT MAY OCCUR AS A RESULT OF PRODUCING OR SHUT DOWN OPERATIONS. </td> </tr> </tbody> </table>		CONDITION BEFORE OF PERIOD					CONDITION AFTER WORK (CROSS OUT ALL BUT APPROPRIATE ITEMS)		HOLE			CASING SIZE	DEPTH SET			SIZE	FROM	TO								8-5/8"	101'	DEPTH (ORIGINAL)	5010'				4-1/2"	5010', perforations effective 4871-4900'	DEPTH LAST (RD. OR DE.)							DEPTH PRESENT EFFECTIVE	4904'						NOTE--IN ADDITION TO REPORTING ROUTINE RECONDITIONING OPERATIONS, USE THIS FORM FOR REPORTING THE FIRST INSTALLATION OF PUMPING EQUIPMENT (UNLESS WELL WAS ORIGINALLY COMPLETED ON THE PUMP), BAD CASING, FISH LEFT IN HOLE, ETC., THAT MAY OCCUR AS A RESULT OF PRODUCING OR SHUT DOWN OPERATIONS.	
CONDITION BEFORE OF PERIOD					CONDITION AFTER WORK (CROSS OUT ALL BUT APPROPRIATE ITEMS)																																													
HOLE			CASING SIZE	DEPTH SET																																														
SIZE	FROM	TO																																																
			8-5/8"	101'	DEPTH (ORIGINAL)	5010'																																												
			4-1/2"	5010', perforations effective 4871-4900'	DEPTH LAST (RD. OR DE.)																																													
					DEPTH PRESENT EFFECTIVE	4904'																																												
					NOTE--IN ADDITION TO REPORTING ROUTINE RECONDITIONING OPERATIONS, USE THIS FORM FOR REPORTING THE FIRST INSTALLATION OF PUMPING EQUIPMENT (UNLESS WELL WAS ORIGINALLY COMPLETED ON THE PUMP), BAD CASING, FISH LEFT IN HOLE, ETC., THAT MAY OCCUR AS A RESULT OF PRODUCING OR SHUT DOWN OPERATIONS.																																													

B. W. Shinnick