



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las Alamos, N.M.

Lease No. 57-17002

Unit Carson Salt

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	LOGBOOK
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	NEW
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		
Notice of Intention to Recomplete <u>X</u>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 11, 1958

Carson Unit
Well No. 13-18 is located 1980 ft. from N line and 660 ft. from E line of sec. 18

SE 18
(1/4 Sec. and Sec. No.)

25N
(Twp.)

11W
(Range)

114W
(Meridian)

East
(Field)

San Juan
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the Kelly Boring stand above sea level is 513.3 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Status: Total Depth: 5071
Casing: 4-1/2" @ 5070
Perforations: 4932-46, 4953-71, 4975-5003, 5010-24, 5028-40
Previous Treatment: 200 gal. mud acid, sand oil fractured with 50,000 gal. crude, 12/gal. sand, 200 nylon balls.

Proposed work:
1. Sand oil fracture with 50,000 gal. crude, 12/gal. sand, 750 gal. fix-a-frac.
2. Recover load and frac oil, establish initial rate.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company

Address 705 N. Municipal Drive

Farmington, New Mexico

By B. W. Shepard

Title Exploitation Engineer