
GPO 9 18 507

Form 9-881a (Feb. 1951)



## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Offic	• <del>. </del>	40t4	-Fo,	一等 . 月 .
Lease No.	- 38	- <b>()</b> (	1- <b>10</b> 4.0	
Unit				

## SUNDRY NOTICES AND REPORTS ON WELLS

SUNDR	I NOTICES A	AND REP	ORIS ON WELLS		
NOTICE OF INTENTION TO DRILL	L	SUBSEQUENT	REPORT OF WATER SHUT-OFF		
NOTICE OF INTENTION TO CHAN	E OF INTENTION TO CHANGE PLANS				
NOTICE OF INTENTION TO TEST	WATER SHUT-OFF	SUBSEQUENT	REPORT OF ALTERING CASING		
NOTICE OF INTENTION TO RE-D	RILL OR REPAIR WELL	SUBSEQUENT	REPORT OF RE-DRILLING OR REPAIR		
NOTICE OF INTENTION TO SHOO	T OR ACIDIZE	SUBSEQUENT	REPORT OF ABANDONMENT		
NOTICE OF INTENTION TO PULL	OR ALTER CASING	SUPPLEMENT	ARY WELL HISTORY		
NOTICE OF INTENTION TO ABAN	DON WELL				
(IN	IDICATE ABOVE BY CHECK MAR	K NATURE OF REPOR	T, NOTICE, OR OTHER DATA)		
			aber L	, 19.5	
Covernment Vell No. <u>12-16A</u> is le	ocated 1377 ft. from	$\mathbf{n}_{-}\left\{egin{array}{c} \mathbf{N} \\ \mathbf{S} \end{array}\right\}$ line and	dft. from ( line of	sec	
(14 Sec. and Sec. No.)	25 <sup>th</sup>	(Range)			
			•		
(Field)	(County	( Subdivision)			
ate names of and expected dept	hs to objective sands; show si ing points, and all	zes, weights, and len other important pro	igths of proposed casings; indicate muddi posed work)	ing jobs, cemen	
	Speeded 2130	F.A. 10-30	<b>-5</b> 8		
(120 cm. It. 7 58 temperature 39 cement strongt	ortland Cament) to • F, Formation to	reated with mperature a t in place	cacing at 117' with 100 25 calcium chloride. pprox. 73° F. Estimate 12 hours: before test).	Surfa <b>ce</b> d	
		writing by the Geo	logical Survey before operations may be	commenced.	
ompany Shall Oil	Соврапу				
ddress 705 * Auro	leipal rive		Original signed by		
Fareington	Sew Nerico	E	B. W. SHEPARD		
			Separd		