(Do not use this

New Mexico

Dec. 1973	Budget Bureau No. 42-R1424
UNITED STATES	5. LEASE
DEPARTMENT OF THE INTERIOR	SF 0/18475
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or plug back to a different	7. UNIT AGREEMENT NAME
eservoir, Use Form 9-331-C for such proposals.)	8. FARM OR LEASE NAME
1. oil ca gas	Stephenson
well well other	9. WELL NO.
2. NAME OF OPERATOR	1
Merrion Oil & Gas Corporation	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	Dufers Point Gallup Dakota
P. O. Box 1017, Farmington, New Mexico 87499	11. SEC., T., R., M., OR BLK. AND SURVEY OF
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA //
below.)	Sec. 42, T25N, R8W
AT SURFACE: 1650' FNL and 1650' FEL	12. COUNTY OR PARISH 13. STATE

Same 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

Same

EVATIONS (SHOW DF, KDB, AND WD)

change on Form 9-330.)

San Juan

14. API NO.

REQUEST FOR APPROVAL TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON\* (other) Commingle Gallup Dakota

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

port results of multiple completion or zone

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Propose to drill out cast iron plug @ 6300' KF and commingle Gallup and Dakota production. Will treat Gallup perfs with lease oil and de-emulsifying surfactant. Will put well on to pump.

NMOCD approves commingling Not BIM

Subsurface Safety Valve: Manu. and Type \_ Set @ \_ 18. I hereby certify that the foregoing is true and correct TITLE Operations Manager 12/20/82 (This space for Federal or State office use) APPROVED BY CONDITIONS OF APPROVAL

DISTRICT ENGINEER \*See Instructions on Reverse Side