

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

P. O. Box 965 Farmington, New Mexico

November 21, 1955

Frank A. Schults, Jr. P. G. Box 728 Farmington, New Mexico

Re: Santa Fe 078524

Gentlemen:

Receipt is acknowledged of your "Notice of Intention to Drill" dated November 19, 1955 covering your well No. 2-14 Schultz-Payne in NW sec. 14, T. 25 N., R. 8 W., N.W.P.M., San Juan County, New Mexico, Ballard Pictured Cliffs pool.

Your perposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 1942, a copy of which will be sent to you on request, and subject to the following conditions:

- 1. Drilling operations so authorized are subject to the attached sheet for general conditions of approval.
- 2. Furnish copies of all logs.

APPROVED

Very truly yours,

P. T. McGrath District Engineer

PFMcGrath:al

and the groups are,

KINATE CROBES SOCIETE BETTER KINDLATER K SOCIETE BETTER SOCIETE



(SUBMIT IN TRIPLICATE)


UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Senta Pe
Lease No.	07852年
Unit	糖儿

SUNDRY NOTICES AND REPORTS ON WELLS

•	
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OF REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING.	SUPPLEMENTARY WELL LICETORY
NOTICE OF INTENTION TO ABANDON WELL	SUPPLEMENTARY WELL HISTORY
	L S. GEOLE MEN MEN MEX.
(INDICATE ABOVE BY CHECK MARK NATU	IRE OF REPORT, NOTICE, OR OTHER DATA)
	November 19, 1955
Schultz-Payne	, 19
Well No. 2-10 is located 1125 ft. from	line and 850 ft. from W line of sec.
AR/C Gee. III	R S-W M.S.P.M.
(Field) (County or Subd	In County New Next Co
he elevation of the derrick floor above sea level is	ft.
DETAILS (OF WODE
	OI. MOKK
State names of and expected depths to objective sands; show sizes, weing points, and all other in	ghts, and lengths of proposed casings; indicate mudding jobs, cement- nportant proposed work)
state names of and expected depths to objective sands; show sizes, we ing points, and all other in species to spud with cable tools; then dractured fillies Formation - expected betwee scrizes. Jasquistion with rable tools the solidified mitro-glycerin as consiti	ghts, and lengths of proposed easings; indicate mudding jobs, cement- inportant proposed work) Ill with rotary tools to the top of the condition of the top of the condition of the top of the condition of the top of the and some off fracturing or shooting ons warrants.
State names of and expected depths to objective sands; show sizes, we ing points, and all other in spose to spud with cable tools; then dructured diffs formation - expected between sortices. Institute with rable tools	ghts, and lengths of proposed casings; indicate mudding jobs, cement- inportant proposed work) ill with rotary tools to the top of the condition of the top of the condition of the top of the and some of fracturing or shooting ons warrant.
state names of and expected depths to objective sands; show sizes, we ing points, and all other in spose to spud with cable tools; then dructured Gliffs Formation - expected betwee scrimes. Jamiletto with cable tools the solidified mitro-glycerin as consitiuting programs 90 feet 2-500 mm 8 miles	ghts, and lengths of proposed easings; indicate mudding jobs, cement- inportant proposed work) Ill with rotary tools to the top of the condition of the top of the thd. It condition directly or shooting thd. It condition directly of the top of the thd. It condition directly the top of the thd. It conditions directly the top of the top of the thd. It conditions directly the top of the top of the thd. It conditions the top of the top of the thd. It conditions the top of the top of the thd. It conditions the top of the the top of the top of the top of the the top of the top of the top of the the top of the top of the top of the the top of the top of the top of the top of the the top of the top of the top of the top of the the top of the top of the top of the top of the the top of t
state names of and expected depths to objective sands; show sizes, we ing points, and all other in oppose to spud with cable tools; then dractured Miff's Formation - expected betwee seriace. Implication with rable tools the solidified mitro-glycerin as consitiuting programs 90 feet 3-5/67 new 8 rd. rince, using at least 75 sacks of opportunity of the cable of opportunity.	ghts, and lengths of proposed casings; indicate mudding jobs, cement- inportant proposed work) ill with rotary tools to the top of the condition of the tools, and a successful and a successful fracturing or shooting one warrant. thd. Of cocing. Circulate conent to t.
state names of and expected depths to objective sands; show sizes, we ing points, and all other in oppose to spud with cable tools; then dractured filling Formation - expected betwee scrizes. Implication with rable tools the solidified mitro-glycerin as consitiuting programs 90 feet 3-5/67 new 8 rd. rince, using at least 75 sacks of opportunity 0.0. liff J-55 easing to be set on the content of the set of the set of total tabling to be set within 20 feet of total	ghts, and lengths of proposed easings; indicate mudding jobs, cement- inportant proposed work) Ill with rotary tools to the top of the condition of the tools, conditions and same off fracturing or shooting cass warrant. thd. Off coring. Circulate consent to the of Pictured Cliffs Formation, all depth for production.
state names of and expected depths to objective sands; show sizes, we ing points, and all other in sposes to spud with cable tools; then dractured diffs Formation - expected betwee serface. Laggication with rable tools the solidified mitro-glycerin as conditionally sing programs 90 feet 3-500 new 8 rd. reace, using at least 75 sacks of cemer 1/2" 0.0. 14/ J-55 casing to be set on seemed with 100 sacks of regular occurrent	ghts, and lengths of proposed easings; indicate mudding jobs, cement- inportant proposed work) Ill with rotary tools to the top of the condition of the top of the condition of the top of the condition of the top of the condition. Circulate cement to the of Pictured Cliffs Formation, all depth for production.
State names of and expected depths to objective sands; show sizes, we ing points, and all other in oppose to spud with cable tools; then dractured filling Formation - expected betwee series. Implication with rable tools the solidified mitro-glycerin as consitiuted sing programs 90 feet 3-5/67 new 8 rd. rince, using at least 75 sacks of opportunity 0.0.1 liff J-55 easing to be set on the sented with 100 sacks of regular computations to be set within 20 feet of total understand that this plan of work must receive approval in writing	ghts, and lengths of proposed easings; indicate mudding jobs, cement- inportant proposed work) Ill with rotary tools to the top of the condition of the top of the the condition. Circulate conent to the of Pictured Cliffs Formation, all depth for production.
state names of and expected depths to objective sands; show sizes, we ing points, and all other in spoose to spud with cable tools; then dractured Miff's Formation - expected betwee serioes. Large they with rable tools the solidified mitro-glycerin as conditionally sing programs 90 feet 8-500 new 8 rd. rings, using at least 75 sacks of caser 1/2° 0.2. Mif J-55 casing to be set on santed with 100 sacks of regular commentations to be set within 20 feet of total understand that this plan of work must receive approval in writing the set of the set	ghts, and lengths of proposed easings; indicate mudding jobs, cement- inportant proposed work) Ill with rotary tools to the top of the condition of the tools, conditions and same off fracturing or shooting cass warrant. thd. Off coring. Circulate consent to the of Pictured Cliffs Formation, all depth for production.
oppose to spud with cable tools; then or oppose to spud with cable tools as serious. Leavillation with cable tools the solidified mitro-glycerin as conditions and solidified mitro-glycerin as conditions and solidified mitro-glycerin as conditions. These, using at least 75 sacks of cases of cases 1/2° 0.0. Lif J-55 casing to be set on cases of cases of regular communications to be set within 20 feet of total lunderstand that this plan of work must receive approval in writing to property. Frank A. Schultz, Jr.	ghts, and lengths of proposed easings; indicate mudding jobs, cement- inportant proposed work) Ill with rotary tools to the top of the condition of the tools, conditions and same off fracturing or shooting cass warrant. thd. Off coring. Circulate consent to the of Pictured Cliffs Formation, all depth for production.
opose to spud with cable tools; then or opose to spud with cable tools; then or othered Miff's Formation - expected between surface. Large they with rable tools the solidified mitro-glycerin as conditionally with rable tools the solidified mitro-glycerin as conditionally with solidified mitro-glycerin as conditionall	ghts, and lengths of proposed casings; indicate mudding jobs, cement- inportant proposed work) Ill with rotary tools to the top of the COD 1,500 feet roll 1,500 feet below - said and old fracturing or shooting one waitent. thd. Old coding. Circulate coment to top of Pictured Cliffs Formation, al depth for production. The Geological Survey before operations may be commenced.

Company FRANK A. SHULTZ, JR.	
Lease Well No.2-14	••
Sec. 14, T. 25 N., R. 8 W. N.M.P.M.	RECEIVEL
Location 1125' FROM THE NORTH LINE AND 850' FROM THE WEST LINE.	- NOV - 1954
THE WEST LARING	U. S. GEULI AGAL FARMINGTON, NEW



Scale-4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

	true and correct to the best of my knowledge and belief.
	James P. Leese
Seal:	Registered Land Surveyor. James P. Leese No. 1463
Surveyed	24 July 19.55