Form 9-331a (Feb. 1950)	
MATTROVED	(SUBMIT IN TRIPLICATE)
067 9 1956	UNITED STATES
	RTMENT OF THE INTERIOR
ACTING DISTRICT ENGINEER	GEOLOGICAL SURVEY

Land Office
Lease No.
Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL. NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO ABANDON WELL.	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR. SUBSEQUENT REPORT OF ABANDONMENT.	
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)		

W. M. Federal "B"	August 16, 19
Well Nois locate	d 660 — ft. from $\binom{N}{S}$ line and $\binom{F}{W}$ line of sec.
/ (A Sec. and Sec No.)	(Ap.) (Range) (Meridian)
Bisti-Gallap	or Subdivision)
The elevation of the day in	

The elevation of the derrick floor above sea level is fit.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement-ing points, and all other important proposed work)

This well was speeded 7-19-56. A 12 1/4" hele was drilled to 390' and 8 5/8" easing was set at 382' m/225 sacks coment. The coment sirculated. After 24 hours WOC the casing was tested to 1000f for 30 minutes.

A 7 7/8" hole was drilled to 4990' and 5 1/2" casing was run to 4989' and comented with 200 socks. Top of cement in annalus is at 3498 by temperature survey. After 48 hours MDC casing tested to 1500# for 30 minutes.

I understand that this plan of work must receive approval in w	RESIDENCE
Company Surray Mid-Continuat Cil Can Address	OIL CON COM
Term ngton, New Mexico	By F. M. Strewelt
U. S. GOVERNMENT P	Title Stierest