

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe, N.M.
Lease No. 27-020122
Unit Carson Unit

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	X
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 21, 1958

Well No. 11-17 is located 455 ft. from N line and 1975 ft. from E line of sec. 17

11-17 (1/4 Sec. and Sec. No.) 25N (Twp.) 13E (Range) 101W (Meridian)
State (Field) San Juan (County or Subdivision) New Mexico (State or Territory)


The elevation of the well casing above sea level is 4361 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Spudded 11-14-58.

11-14-58 ran and cemented (97') 8-5/8", 20#, J-55 casing at 107' with 100 sacks, 120 cubic feet Portland cement treated with 2% calcium chloride, surface temperature 40°, formation temperature 75°, estimated strength after 12 hours 1000 psi. Plugged up and waited on cement. Pressure tested casing and BHP with 500 psi, OK.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company

Address 204 Municipal Drive

Alamogordo, New Mexico

By R. W. Shepard

Title Exploitation Engineer