

(SUBMIT IN TRIPLICATE)


Indian Agency **Window Rock**

Maraje Allowed

Allottee **Salmon White**

Lease No. **14-20-603-JM**

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 25, 1956

19

Well No. **1** is located **500** ft. from **N** line and **1900** ft. from **W** line of sec. **8**

SE/4 SE/4 Sec. 8

Twp. 12N

R. 12E

Range

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

Dist. Lower Gallup ext.

San Juan

New Mexico

(Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is **6092** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

4955' to 4944' BOD - Set 7-1/2" cas @ 4954'. Perforated from 4848' to 4854' & from 4860-4876' 1/4 type X bullets/st (84). Sand-oil free perforations 11/50,000-gal crude oil & 50,000' sand. Avg. inj. rate 12.1 bbl/min. Finished & over-finished 11/125 bbl crude oil. Max. press. 2400', min. 2000'. Final press. 1900'. Perforated 7-1/2" casing from 4770' to 4792' & from 4860-4876' 1/4 type X bullets (208). Set Baker Retrievable Bridge Plug @ 4848'. Sand-oil free perforations 11/50,000 gals crude oil & 50,000' sand. Max. press. 2400', min 2000', IF 1900'. Avg. inj. rate 35.7 bbl/min. Finished & over-finished 11/100 bbl. Set 2-3/8" tubing @ 4667'. Flowed 377.93 bbl. oil, 0 bbl. water in 24 hrs on 3/4" ch. 2.5. 50', O.P. 300'. Gas Vol. 115,070 cu ft. 7-25-56

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


AMERADA INTER-OIL CORPORATION

Company

Box 535

Address

Farmington, New Mexico



By **[Signature]** **U.S. Smith**

Title **Foreman**

APPROVED

