
Form 9-881 a (Feb. 1951)



(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	,
Lease No. 57-075063	
Unit Carena Unit	

SUNDRY	NOTICES	AND	REPORTS	ON	MAFIGENCE
--------	---------	-----	---------	----	-----------

	ICE OF INTENTION TO DRILL.		SUBSEQUE	INT REPORT OF	WATER SHUT-C	FF_O_CI	
NOTE	ICE OF INTENTION TO CHANG	SE PLANS	li l	NT REPORT OF		~ ~ 1 11	1958
NOTE	ICE OF INTENTION TO TEST V	WATER SHUT-OFF	ll l	NT REPORT OF	11 0	A 2.	
NOTIO	ICE OF INTENTION TO RE-DRI	ILL OR REPAIR WELL	SUBSEQUE	NT REPORT OF	RE-DRILANO	A REPAIR	" Sil IE
NOTIO	ICE OF INTENTION TO SHOOT	OR ACIDIZE	SUBSEQUE	NT REPORT OF	ABANDONMENT	۴r	W WEXII
NOTI	ICE OF INTENTION TO PULL O	OR ALTER CASING	SUPPLEME	NTARY WELL H	ISTORY		
NOTE	ICE OF INTENTION TO ABAND	ON WELL					
L	(IND	PICATE ABOVE BY CHECK MARK	NATURE OF REPO	ORT, NOTICE, OI	OTHER DATA)		
			©	ctober 6			, 19. <u></u> g
Well I	No. <u>3h-7</u> is loo	cated ft. from	$-\begin{cases} N \\ S \end{cases} $ line a	nd <u>1986</u>	ft. from $\begin{cases} \mathbf{E} \\ \mathbf{V} \end{cases}$	line of sec	c *
	(14 Sec. and Sec. No.)	(Twb)	(Range)	(Ma)	lan)		
	Bist!	San June	. •••		Mark .	il	
	(Field)	(County o	r Subdivision)		(State	Territory)	
State n	san and comente	ni (971) 8-5/6".	ther important ; ded 10-i lass. Justin	lengths of proporoposed work)	et 15)71 u	itin 1600 m	
State n -56	Sen and comente treated with 2% temperature, 87 coment in place	ing points, and all o Spud Mi (971) 8-5/6*, Calaium Chlorid P formation temp 12 hours prior	ther important p ded 10-io- 24/, J-55 to (120 cm. cratare (i	casing a function of the casing a function of	it 107° u tland ee , estimet cood ret	ità 100 s ment, 70° ed strang erns to s	noke ce enflee th con
State n	Sen and comente treated with 2% temperature, 87 coment in place	ing points, and all o Spud ni (97') 5-5/5°, Calaium Chlorid P formation temp	ther important p ded 10-io- 24/, J-55 to (120 cm. cratare (i	casing a function of the casing a function of	it 107° u tland ee , estimet cood ret	ità 100 s ment, 70° ed strang erns to s	noke ce enflee th con
State n	Sen and comente treated with 2% temperature, 87 coment in place	ing points, and all o Spud Mi (971) 8-5/6*, Calaium Chlorid P formation temp 12 hours prior	ther important p ded 10-io- 24/, J-55 to (120 cm. cratare (i	casing a function of the casing a function of	it 107° u tland ee , estimet cood ret	ità 100 s ment, 70° ed strang erns to s	noke ce enflee th con
State n	Sen and comente treated with 2% temperature, 87 coment in place	ing points, and all o Spud Mi (971) 8-5/6*, Calaium Chlorid P formation temp 12 hours prior	ther important p ded 10-io- 24/, J-55 to (120 cm. cratare (i	casing a function of the casing a function of	it 107° u tland ee , estimet cood ret	ità 100 s ment, 70° ed strang erns to s	noke ce enflee th con
State #	Sen and comente treated with 2% temperature, 87 coment in place	ing points, and all o Spud Mi (971) 8-5/6*, Calaium Chlorid P formation temp 12 hours prior	ther important p ded 10-io- 24/, J-55 to (120 cm. cratare (i	casing a function of the casing a function of	it 107° u tland ee , estimet cood ret	ità 100 s ment, 70° ed strang erns to s	noke ce enflee th con
State #	Sen and comente treated with 2% temperature, 87 coment in place	ing points, and all o Spud Mi (971) 8-5/6*, Calaium Chlorid P formation temp 12 hours prior	ther important p ded 10-io- 24/, J-55 to (120 cm. cratare (i	casing a function of the casing a function of	it 107° u tland ee , estimet cood ret	ità 100 s ment, 70° ed strang erns to s	noke ce enflee th con
-56 -58	treated with 2% temperature, 67 comment in place Flanged to. Pr	ing points, and all o Spud Mi (971) 8-5/6*, Calaium Chlorid P formation temp 12 hours prior	ther important; ded 10-in- ded 10-in- 2is, 3-55 to 120 cm. trature (1 to present	casing (cas	t 107' w tland on estimat cood ret 700 psi.	to 100 among area to a	noke ce enflee th con
-56 -56	Ean and comente treated with 21 temperature, 67 cament in place Flamped up. Px	ing points, and all o Spud id (97') 5-5/5", Calaium Chlorid formation temp 12 hours prior resoure tested ca	ther important; ded 10-in- ded 10-in- 2is, 3-55 to 120 cm. trature (1 to present	casing (cas	t 107' w tland on estimat cood ret 700 psi.	to 100 among area to a	noke ce enflee th con
-56 -58	treated with 2% temperature, 67 comment in place Flanged to. Pr	ing points, and all o Spud id (97') 5-5/5", Calaium Chlorid formation temp 12 hours prior resoure tested ca	ther important; ded 10-in- ded 10-in- 2is, 3-55 to 120 cm. trature (1 to present	casing (cas	t 107' w tland on estimat cood ret 700 psi.	to 100 among area to a	noke ce enflee th con
I unc	treated with 21 temperature, 27 cament in place Flanged up. Production of the plan of which the plan o	ing points, and all of Spud out (97') 5-5/6", Calcium Chlerid Formation temp 12 hours prior Presure tested ca	ther important; ded 10-in- ded 10-in- 2is, 3-55 to 120 cm. trature (1 to present	casing (cas	t 107' w tland on estimat cood ret 700 psi.	to 100 among area to a	noke ce enflee th con
I unc	Ean and comente treated with 21 temperature, 67 cament in place Flamped up. Px	ing points, and all of Spud out (97') 5-5/6", Calcium Chlerid Formation temp 12 hours prior Presure tested ca	ther important; ded 10-in- ded 10-in- 2is, 3-55 to 120 cm. trature (1 to present	casing (cas	t 107' w tland on estimat cood ret 700 psi.	to 100 among area to a	noke ce enflee th con
I unc	treated with 21 temperature, 57 cament in place Flamped to. Proposed to any	ing points, and all of Spud Spud (97') 5-5/5", Calaium Chlorid Formation tempo 12 hours prior resoure tested call of the special speci	ther important; ded 10-in- ded 10-in- 2is, 3-55 to 120 cm. trature (1 to present	casing (cas	t 107' w tland on estimat cood ret 700 psi.	to 100 among area to a	noke ce enflee th con
I unc	treated with 21 temperature, 57 cament in place Flamped to. Proposed to any	ing points, and all of Spud out (97') 5-5/6", Calcium Chlerid Formation temp 12 hours prior Presure tested ca	ther important production in the product of the pro	coological Surve	t 107' w tland on estimat cood ret 700 psi.	to 100 among area to a	noke ce enflee th con