

Amended

Form 1004-0135
BUREAU OF LAND MANAGEMENT
SUNDARY NOTICES AND ADDENDUMS
Do not use this form for proposals and all other reports of results of completion, recompletion, or log form.
Use APPLICATION FOR THIS FORM for completion only.
SUBMIT IN TRIPlicate

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.
14-20-603-326

6. If Indian, Allottee or Tribe Name

7. If Unit or CA. Agreement Designation

Central Bisti Unit

8. Well Name and No.
35

9. API Well No.
30-045-05458

10. Field and Pool, or Exploratory Area
Bisti Lower Gallup

11. County or Parish, State
San Juan, New Mexico

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
Central Resources, Inc.

3. Address and Telephone No.
P.O. Box 1247, Bloomfield, New Mexico 87413 (505)-632-3476

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
660' FSL, 1980' FWL, Sec 9, T25N, R12W N

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION

☐ Notice of Intent
☐ Subsequent Report
☒ Final Abandonment Notice

TYPE OF ACTION

☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other

☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*
Central Resources, Inc. plugged the well in accordance with regulations. Production equipment was removed and the well was plugged.

December 19-21, 2000

- A. Set a CIBP @ 4725' and spot cement on top to 4380' using 75 sacks cement
- B. Set Menefee plug from 1907' to 1807' inside and outside casing using 45 sacks cement
- C. Set Pictured Cliffs plug from 1170' to 1070' inside and outside casing using 47 sacks cement.
- D. Place the Fruitland plug from 812' to 712' inside and outside casing using 47 sacks cement
- E. Place surface plug @ 187' inside and outside across the surface casing shoe @ 137' using 165 sacks cement
- F. Cut well head, install dry marker. Clear and remediate location.

14. I hereby certify that the foregoing is true and correct

Signed Patty Shelton Title Production Tech. Date December 21, 2000

Patty Shelton

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

ACCEPTED FOR RECORD

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any manner within its jurisdiction.

*See Instruction on Reverse Side