


AMENDED
(SUBMIT IN TRIPLICATE)

Land Office Santa Fe, New Mexico

Lease No. SE 078063

Unit

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 14, 1956

Well No. Garon 3 is located 1813 ft. from (N) line and 530 ft. from (W) line of sec. 7

NW 1/4 (of Sec. and Sec. No.) 25 N. (Twp.) 22 E. (Range) 44 N. (Meridian)

1-14 (Block) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the Kelly Boring above sea level is 4327 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Drill 11" hole to 200'±.
2. Run and cement 8 5/8" casing at 200'± with 100 sacks treated construction cement.
3. Drill 7 7/8" hole to 1800'±.
4. If commercial production is obtained a supplementary completion notice will be issued; otherwise, plug and abandon in accordance with U.S.G.S. Regulations.

Surface Formation is the Kirtland.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company

Address 33 Richards Street

Salt Lake City 1, Utah

By R. E. Eddy

Title Senior Exploitation Engineer



Form 9-331a
(Feb. 1951)

		7
1		

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe, New Mexico
Lease No. ST 078063
Unit ---

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 14, 1956

Well No. Carson 1 is located 1900 ft. from S line and 530 ft. from W line of sec. 7

SW/4 7 25 N. 11 W. R.R.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Utah San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~drill hole~~ ground is 6195.5 ft. (approx. ground)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Drill 11" hole to 200'±.
2. Run and cement 8 5/8" casing at 200'± with 100 sacks treated construction cement.
3. Drill 7 7/8" hole to 4000'±.
4. If commercial production is obtained a supplementary completion notice will be issued, otherwise, plug and abandon in accordance with U.S.C.S. regulations.

Surface formation is the Kirtland.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company

Address 11 Richards Street

Salt Lake City 1, Utah

By B. W. Shepard

Title B. W. Shepard
Exploitation Engineer





12 7 Corner
Brass Cap

RECEIVED

AUG 15 1956

U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

660'

530'

89°04'


WELL LOCATION CARSON No. 3
1980' FROM THE SOUTH LINE AND 530' FROM THE WEST LINE
R.P.'s set 150' East, West, North and South
TBM: Top iron pipe set 298' East of Location
Elevation: 6295.52

NORTH
1980'

Section Corner

12 7 Brass Cap. N 89° 04' West

13 18



This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

James P. Leese
JAMES P. LEESE
REG. LAND SURVEYOR
N. MEX. REG. NO. 1463



SHELL OIL COMPANY

WELL LOCATION NW¼ SW¼ SECTION 7
TOWNSHIP 25 NORTH, RANGE 11 WEST
N.M.P.M.
SAN JUAN COUNTY, NEW MEXICO


10 AUGUST 1956 SCALE: 1" = 500'

Drawn by: J. Leese

SAN JUAN ENGINEERING COMPANY
FARMINGTON, NEW MEXICO

Graded Ground Elevation: 6306.23

N 89° 04' W



RECEIVED

AUG 3 1 1956

U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

SHELL OIL COMPANY

WELL LOCATION NW $\frac{1}{4}$ SW $\frac{1}{4}$ SECTION 7
TOWNSHIP 25 NORTH, RANGE 11 WEST,
N. M. P. M.
SAN JUAN COUNTY, NEW MEXICO

25 AUGUST 1956 SCALE: 1" = 500'

DRAWN BY: *W.C.*

SAN JUAN ENGINEERING COMPANY
FARMINGTON, NEW MEXICO

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

JAMES P. LEESE
N. ME. REG. No. 1463
Reg. Land Surveyor