

(SUBMIT IN TRIPLICATE)


UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency

Window Rock

Allottee **I-Tah-Nip**

Lease No. **14-20-603-1228**



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	Repair casing leak	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 13, 19 63

Well No. **26** is located **1980** ft. from **S** line and **660** ft. from **E** line of sec. **9**

NE 1/4 SE 1/4
(1/4 Sec. and Sec. No.)
Bisti Lower Gallup
(Field)

Sec 9-T25N R12W
(Twp.) (Range)
San Juan
(County or Subdivision)

NMPM
(Meridian)
New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is **6157** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to locate hole in 4-1/2" casing with retrievable BP & FBRT. Hole will be squeezed with 200 sx cement plus Haled 9 additive, drilled out tested to 2000#. If casing holds pressure, well will be restored to production; if casing does not hold pressure, additional squeeze cementing will be required.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Sunray Oil Company**
Address **200 Pet. Club Plaza**
Farmington, New Mexico

ORIGINAL SIGNED BY
E. H. RAMSEY

By **F. H. Ramsey**
Title **District Manager**