

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fed. <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name	
2. Name of Operator <b>SUNRAY DX OIL COMPANY</b>		8. Farm or Lease Name <b>Central Bisti Unit</b>	
3. Address of Operator <b>101 University Blvd., Denver, Colorado 80206</b>		9. Well No. <b>14</b>	
4. Location of Well UNIT LETTER <b>B</b> , <b>620</b> FEET FROM THE <b>N</b> LINE AND <b>1830</b> FEET FROM THE <b>E</b> LINE, SECTION <b>9</b> TOWNSHIP <b>25N</b> RANGE <b>12W</b> NMPM.		10. Field and Pool, or Wildcat <b>Bisti Lower Gallup</b>	
15. Elevation (Show whether DF, RT, GR, etc.) <b>6199' K.B.</b>		12. County <b>San Juan</b>	

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/> <b>Repair Casing Leak</b>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Leak occurred in casing - detected when mud and water entered casing. Ran Corrosion Log. Casing was in good shape except for severe pits at 2909' and 3109'. Set retrievable bridge plug at 3165'. Set retrievable retainer at 2800' and cemented through holes w/200 sacks class C w/3% Ca.Cl. and 85 sacks Haled 9 w/3% Na.Cl. cement. Drilled out cement - tested casing to 1000 psi, retrieved bridge plug and put back on production.



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED D. E. Hall TITLE District Engineer DATE Jan. 20, 1965

APPROVED BY Ernest C. Amund TITLE Supervisor Dist. # 3 DATE JAN 21 1965

CONDITIONS OF APPROVAL, IF ANY: