

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

approvate aprice in the									
Land Office Sante Fe									
Lease No. 078056									
K									
Unit									

	SUNDRY	NOTICES A	ND REP	ORTS ON	WELLS		
NOTICE OF I	NTENTION TO DRILL		SUBSEQUENT	REPORT OF WATER	SHUT-OFF		
NOTICE OF I	NTENTION TO CHANGE PLA	ANS	SUBSEQUENT	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING			
1		R SHUT-OFF	ll .	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR			
1		R REPAIR WELL	1!				
i		ACIDIZE	11		JNMEN I	her I	
	NTENTION TO ABANDON W	i			· · · · · · · · · · · · · · · · · · ·		
	(INDICATI	E ABOVE BY CHECK MARK I	NATURE OF REPORT	, NOTICE, OR OTHER	DATA)		
			*		une 18	, 195 6	
	lce Federal "C"		(3.1)		(151 .)		
Well No.	6 is locate	ed 1980 ft. from	$-\begin{Bmatrix} \mathbf{R} \\ \mathbf{S} \end{Bmatrix}$ line and	1_ 1980 ft. fro	om $\left egin{array}{c} \mathbf{W} \end{array} \right $ line of s	ec 6	
NE 1/4	SW 1/4	25N (Twp.) (12W	NAPM (Meridian)	·		
Bisti Ga	allup	San Juar (County or	n Gubdinisian)		New Mexico) 	
The 5 1/2 These per A cast in 4824-40' gallens in	2" OD casing warforations were ron gridge plug with 6 bullets	DETAIL objective sands; show size ing points, and all of as perforated 4 e fractured wit g was set at 48 s per ft. Thes ,000# sand. The ed in. It flow	890 - 98 as h 15,000 gr 601. The perforate bridge p	gths of proposed car posed work) add 4904-12 to allons leas 5 1/2" casis ions were followed was dri	with 6 bullet e oil & 15,00 ng was perfor ractured with lled out. Tu	s per ft. 00# sand. rated 15,000 abing was	
Company .	-	must receive approval in v		logical Survey befor	e operations may be co	ommenced.	
		exica	Ţ	By DEGA	U		
				itle Engin	2.41	·	
			Ti	itle Engin	eer		