

Land Office Santa Fe  
Lease No. NH 04226  
Unit McNamee

(SUBMIT IN TRIPPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

RECEIVED

SEP 7 1954

U.S. GEOLOGICAL SURVEY  
FARMINGTON, N. M.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<input type="checkbox"/>	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 4, 1954

Well No. 2 is located 1273 ft. from {N} line and 1328 ft. from {E} line of sec. 4

NE/4 NW/4 Sec. 4 25M 8W N. M. E. M.  
(4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat San Juan New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is ..... ft. (Not available. Will furnish later)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Pictured Cliffs Sand test. Estimated depth 2100'.

Surface Casing: 90' of 8-5/8" OD 23#, cemented with 50 sacks, circulated.  
Production " : Approximately 2000' of 5-1/2" OD 15.5#, cemented with  
100 sacks.

It is proposed to core the top part of the Pictured Cliffs. If commercial production is indicated, the well will be shot with nitroglycerin.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company PERSON-MONTIN

Address 315½ West Main

Farmington, New Mexico

By Albert T. Green

Title Field Superintendent



**DEPARTMENT OF THE INTERIOR  
UNITED STATES  
GEOLOGICAL SURVEY**

SUNDAY NOTICES AND REPORTS ON METEOROLOGY

REPRODUCED WITH THE APPROVAL OF THE CHIEF LIBRARIAN, M.L.I.T., 1947. © GOVERNMENT OF CANADA, 1947. OTHER PAGES

1990-1991

... see to call  $\left(\frac{A}{V}\right)$  most often. It has call  $\left(\frac{V}{S}\right)$  most frequently because it ... and ... to know how

The elevation of the highest point above sea level is 1000 m.

En la seva activitat professional i en el seu temps lliure, el professor ha de tenir en compte els criteris d'equitat, dignitat, respecte, responsabilitat i integritat.

1962-1963. The first year of the new program was a success.

Informasi ini adalah berdasarkan hasil survei yang dilakukan oleh Bapak/Ibu di rumah, bapak/Ibu tidak ada di rumah atau belum pulang dari luar negeri.

<sup>1</sup> Correspondence to: James A. Smith, Department of Psychology, University of Missouri, Columbia, MO 65211-4540.

卷之三

Digitized by srujanika@gmail.com

卷之三十一


<sup>2</sup>See also, *idem*, *op. cit.* 1975, pp. 11-12; *ibid.* 1976, pp. 11-12.

RE

SEP 7 1954

U. S. GEOLOGICAL SURVEY  
FARMINGTON, N. M.

COMPANY Benson Montin  
LEASE Mc Manus WELL NO. #2  
SECTION 4 T 25N R 8W NM P.M.  
LOCATION 1273 from north line  
1328 from west line  
San Juan County New Mexico



N

✓

This is to certify that the above plat  
was prepared from field notes of  
actual surveys made by me and  
are true & correct to the best of  
knowledge & belief.

Robert L. Maddox

Robert L. Maddox, Jr.  
Registered Professional  
Engineer & Land Surveyor  
Albuquerque, N. M. File No. 426



Enclosed FILE 54