UNITED STATES

DEPARTMENT OF THE INTERIOR CELVED BUREAU OF LAND MANAGEMENT SINE

	DLII			
Sundry Noti	ices and Reports on Wells			
1. Type of Well	CO FALIZICADA, IGA	5. 6.	Lease Number NM-04224 If Indian, All. or	
GAS	·		Tribe Name	
2. Name of Operator		7.	Unit Agreement Name	
RESOURCES OIL	& GAS COMPANY			
Address C Phone No. of Con-		8.	Well Name & Number	
3. Address & Phone No. of Operat PO Box 4289, Farmington, NM		9.	Quitzau #1 API Well No.	
4. Location of Well, Footage, Se 960'FNL, 866'FWL, Sec.3, T-25	ec., T, R, M 5-N, R-8-W, NMPM	10.	30-045-05565 Field and Pool Ballard Pictured Cliffs	
D		11.	County and State San Juan Co, NM	
12. CHECK APPROPRIATE BOX TO IND	DICATE NATURE OF NOTICE, REPORT,	OTHER	DATA	
Type of Submission	Type of Action			
$_{ m X}$ Notice of Intent	Abandonment Change			
Subsequent Report	Recompletion New Construction Plugging Back Non-Routine Fracturing			
Final Abandonment	Casing Repair Water S Altering Casing Convers X Other - Restimulate	sion to	o Injection	
13. Describe Proposed or Compl	eted Operations			
It is intended to restimul	ate the subject well in the foll	Lowing	manner:	
Run 3 1/2" casing t	tubing. Drill open hole to 2525' to new total depth and cement to racture treat Pictured Cliffs. C. duction.	surfa	ce. Perforate.	
		EG:	4 1866	
	@[][(0) (1)		
		~ue)	uo (b)	
4. I hereby certify that the	foregoing is true and correct.	** **		
signed July Shad huld	(KKKPC)Title Regulatory Admini	strato	or_Date 11/4/96	
This space for Federal or State		te	PROVED	
CONDITION OF APPROVAL, if any:		7:	NOV 0 6' 1968cer	

Quitzau #1 **Pertinent Data Sheet**

Location:

960' FNL & 866' FWL, Unit D, Section 3, T25N, R8W, San Juan County, New Mexico

Lat: 36-26-2 Long: 107-40-25

Field: Ballard PC

Elevation: 6741' GL TD: 2502'

6751' KB

PBTD: 2497'

Spud Date:

4/17/54

Compl Date: 4/30/54

DP #: 50916A

Lease: (Fed) NM 4893-300

GWI: 100%

Initial Potential: Initial Potential = 1,175 MCF/D, SICP = 660 psi

NRI: 82%

Prop#: 012658200

Casing Record:

Hole Size	Csg Size	Wt. & Grade	Depth Set	Cement	Cement (Top)
15"	10-3/4"	32.75# H-40	89'	70 sx.	Circ Cmt
e7-7/8"	5-1/2"	15.5# J-55	2424'	100 sx.	1835' @ 75% Eff.
e4-3/4"	ОН		2424'-2502'		0

Tubing Record:

Tbg. Size	Wt. & Grade	Depth Set	# Joints
1"	1.7#	2471'	116

Formation Tops:

Ojo Alamo:

1665'

Kirtland Shale:

1788'

Fruitland:

2115'

Pictured Cliffs:

2411'

Logging Record:

Stimulation: SOH w/ 155 qts SNG

Workover History:

None

Production History: 8/96 PC capacity: 0 MCF/D. 8/96 PC cum: 503 MMCF.

Pipeline:

EPNG

Quitzau #1

Section 3D, T-25-N, R-8-W San Juan County, NM

BALLARD PICTURED CLIFFS WELLBORE SCHEMATIC

