

A 10x10 grid with a small circle in the second column and third row.

AREA 640 ACRES  
LOCATE WELL CORRECTLY

**NEW MEXICO OIL CONSERVATION COMMISSION**

**Santa Fe, New Mexico**

## WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

**Andersen-Prichard Oil Corporation**  
(Company or Operator)

~~Jon na pla~~  
(Least)

Well No. 1, in NE ¼ of NW ¼, of Sec. 2, T. 29N, R. 10W, NMPM.  
(wildcat) Pool, San Juan County

Well is 790 feet from North line and 1850 feet from West line  
of Section 2. If State Land the Oil and Gas Lease No. is Indian Les. #14-20-603-1895

Drilling Commenced.....**12/2**....., 19**56**..... Drilling was Completed.....**12/26**....., 19**56**.....

Name of Drilling Contractor..... **CH2M Drilling Company**.....

Address.....**1340 South Santa Fe Drive, Denver, Colorado.**

Elevation above sea level at Top of Tubing Head..... **675' ±**..... The information given is to be kept confidential until  
~~not confidential~~, 19.....

### OIL SANDS OR ZONES

No. 1, from.....to..... No. 4, from.....to.....

No. 2, from.....to..... No. 5, from.....to.....

No. 3, from.....to..... No. 6, from.....to.....

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from ..... to ..... feet. ....

No. 2, from ..... to ..... feet. ....

No. 3, from ..... to ..... feet. ....

No. 4, from.....to.....feet.

## CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10-3/4"	32.75#	New	170'	.	.		

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
15"	10-3/4"	17A	18A	Halliburton	10.0	

### RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or show)

## Dry Hole

**Result of Production Stimulation.....**

.....Depth Cleaned Out.....



# RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

## TOOLS USED

Rotary tools were used from Surf feet to 20 feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet.  
Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet.

## PRODUCTION

Put to Producing Dry Hole - FMA 12/29/36, 19\_\_\_\_

OIL WELL: The production during the first 24 hours was \_\_\_\_\_ barrels of liquid of which \_\_\_\_\_ % was  
was oil; \_\_\_\_\_ % was emulsion; \_\_\_\_\_ % water; and \_\_\_\_\_ % was sediment. A.P.I.  
Gravity \_\_\_\_\_

GAS WELL: The production during the first 24 hours was \_\_\_\_\_ M.C.F. plus \_\_\_\_\_ barrels of  
liquid Hydrocarbon. Shut in Pressure \_\_\_\_\_ lbs.

Length of Time Shut in \_\_\_\_\_

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

### Southeastern New Mexico

T. Anhy \_\_\_\_\_  
T. Salt \_\_\_\_\_  
B. Salt \_\_\_\_\_  
T. Yates \_\_\_\_\_  
T. 7 Rivers \_\_\_\_\_  
T. Queen \_\_\_\_\_  
T. Grayburg \_\_\_\_\_  
T. San Andres \_\_\_\_\_  
T. Glorieta \_\_\_\_\_  
T. Drinkard \_\_\_\_\_  
T. Tubbs \_\_\_\_\_  
T. Abo \_\_\_\_\_  
T. Penn \_\_\_\_\_  
T. Miss \_\_\_\_\_

T. Devonian \_\_\_\_\_  
T. Silurian \_\_\_\_\_  
T. Montoya \_\_\_\_\_  
T. Simpson \_\_\_\_\_  
T. McKee \_\_\_\_\_  
T. Ellenburger \_\_\_\_\_  
T. Gr. Wash \_\_\_\_\_  
T. Granite \_\_\_\_\_  
T. \_\_\_\_\_  
T. \_\_\_\_\_  
T. \_\_\_\_\_  
T. \_\_\_\_\_  
T. \_\_\_\_\_  
T. \_\_\_\_\_

### Northwestern New Mexico

7 Ojo Alamo base 1303  
T. ~~Kirtland~~ Fruitland 1750  
T. ~~Farmington~~ \_\_\_\_\_  
T. Pictured Cliffs 2102  
T. ~~Martin~~ ~~Mosaverte~~ 2992  
T. Point Lookout 4338  
T. Mancos 4685  
T. ~~Del Rio~~ \_\_\_\_\_  
T. ~~Martin~~ \_\_\_\_\_  
T. ~~base~~ \_\_\_\_\_  
T.  ~~Gallup~~ 5768  
7 ~~base Gallup~~ 6000  
T. \_\_\_\_\_  
T. \_\_\_\_\_

## FORMATION RECORD

From	To	Thickness in Feet	Formation
			Refer to electric log

From	To	Thickness in Feet	Formation																																
<div>OIL CONSERVATION COMMISSION</div> <div>AZTEC DISTRICT OFFICE</div> <div>No. Copies Prepared 5</div> <div>DISTRIBUTION</div> <table><tr><td></td><td></td><td></td><td></td></tr><tr><td>Operator</td><td></td><td>1</td><td></td></tr><tr><td>Santa Fe</td><td></td><td>1</td><td></td></tr><tr><td>Proportion Office</td><td></td><td></td><td></td></tr><tr><td>State Land Office</td><td></td><td></td><td></td></tr><tr><td>U. S. G. S.</td><td></td><td>2</td><td></td></tr><tr><td>Transporter</td><td></td><td></td><td></td></tr><tr><td>File</td><td></td><td>1</td><td>✓</td></tr></table>								Operator		1		Santa Fe		1		Proportion Office				State Land Office				U. S. G. S.		2		Transporter				File		1	✓
Operator		1																																	
Santa Fe		1																																	
Proportion Office																																			
State Land Office																																			
U. S. G. S.		2																																	
Transporter																																			
File		1	✓																																

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

January 17, 1937.  
(Date)

Company or Operator Anderson-Fritchard Oil Corp.  
Name KARL A. BASHARA  
Karl A. Bashara

Address 1740 Broadway, Suite 2-400  
Position or Title Production Supt., District IV.