

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
E 6597-2	

SUNDRY NOTICES AND REPORTS ON WELLS	
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)	
1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Hixon Development Company	8. Farm or Lease Name Virginia State
3. Address of Operator P. O. Box 2810, Farmington, NM 87401	9. Well No. 2
4. Location of Well UNIT LETTER <u>I</u> , <u>1850</u> FEET FROM THE <u>South</u> LINE AND <u>790</u> FEET FROM THE <u>East</u> LINE, SECTION <u>2</u> TOWNSHIP <u>25N</u> RANGE <u>12W</u> NMPM.	10. Field and Pool, or Wildcat NIPP-PC
15. Elevation (Show whether DF, RT, GR, etc.) 6341' GL	12. County San Juan

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spud well 11-08-77. Drilled 7-7/8" hole to 35'. Ran 34' 5-1/2" 15.5# J-55 casing. Cemented with 7 sacks regular cement. Drilled 4-3/4" hole to 1323'. Ran Electric Log. Ran 2-7/8" 6.5# 8rd EUE J-55 casing to 1312'. Cemented with 75 sacks Class H cement, 2% CaCl. Ran GR-CBL log. Top of cement is 210'. Perforated 2-JSPF 1248'-54'; 1238'-44'. Well swabbed 3/4 BW/Hour. Shut well in. Totco surveys- 1/4⁰, 3/4⁰ @ 611' and 1323'.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED A. R. Kendrick TITLE Petroleum Engineer DATE 4-14-78

Original Signed by A. R. Kendrick

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: