Form (A)	n 9-8 pril 19	31 b 52)	pot	1en	36
4					

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency . Mangilla Pribel
Centr. 195, Trest 184
Allottee
Neerille 905

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF.
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.
NOTICE OF INTENTION TO TEST WATER SH	
NOTICE OF INTENTION TO REDRILL OR RE	
NOTICE OF INTENTION TO SHOOT OR ACID	
NOTICE OF INTENTION TO PULL OR ALTER	₩ 6 14 1 14 1 1
NOTICE OF INTENTION TO ABANDON WELL	in a century
	U. 3. U.D.
(INDICATE ADO	VE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
1	
Well No is located	278 31 M.P. M. P. M. (Typ.) (Range) (Maridian)
nee HF & Wadowig, PC	Rio Arriba Bar Marian (CCII)
(Field)	(County or Subdivision) (State or Territy 7)
	/ KLULIFF) \
The elevation of the derrick floo	r above sea level is .7072 ft. 181.
	JUL 1 1958
	DETAILS OF WORK
<u> </u>	
State names of and expected depths to obje	ctive sands; show sizes, weights, and lengths of proposed casings; indicate mudding 100s, demon M
State names of and expected depths to obje	ctive sands; show sizes, weights, and lengths of proposed casings; indicate mudding fold, came M. / ing points, and all other important proposed work)
State names of and expected depths to object	ing points, and all other important proposed work)
State names of and expected depths to object the property of the state	mil to a total depth of 6300' w/retary touls. He propose
pose to drill the above to the fellowing sumes of	
pose to drill the above to the following mass of	the following approximate depths.
pose to drill the above to the following mass of	mil to a total depth of 6300' w/retary tools. We propose the following approximate depths.
pose to drill the above to the following mass of	the following approximate depths.
pose to drill the above to the following mass of	the following approximate depths.
pose to drill the above to the following mass of	the following approximate depths.
pose to drill the above to the following mass of	the following approximate depths.
pose to drill the above to the following mass of	the following approximate depths.
pose to drill the above to the following mass of	the following approximate depths.
pose to drill the above to the following mass of	rell to a total depth of 6300' w/retary tools. We propose the following approximate depths. EXPROTED TOP 3600' 5579' les that appear productive of all or gas. approx. 350' of 10-3/4" surface Cog. w/approx. 300 sks. of 7-5/8" intermediate Cog. w/approx. 200 sks. commit. To be on bottom # 6300' w/approx. 200 sks. commit on bottom her w/approx. 200 sks. commit. We propose to perforated
pose to drill the above to the following mass of	the following approximate depths.
pose to drill the above to the following mass of	pell to a total depth of 6300' w/retary tools. We propose the following approximate depths. EXPROVED TOP 3600' 9579' les that appear productive of ail or gas. approx. 350' of 10-3/4" surface Cog. w/approx. 300 sks. of 7-5/8" intermediate Cog. w/approx. 200 sks. commit. To be on bottom 0 6300' w/approx. 200 sks. commit on bottom her w/approx. 200 sks. commit. We propose to perforated
pose to drill the above to the following smoot of SAME. Pletared Here Vertered to test any other set appear, \$100' of 5-1/2" like aquees top of \$1-1/2" Material \$1 atter free the Pletared \$1	rell to a total depth of 6300' w/retary tools. We propose the following approximate depths. EXPROTED TOP 3600' 5579' les that appear productive of all or gas. approx. 350' of 10-3/4" surface Cog. w/approx. 300 sks. of 7-5/8" intermediate Cog. w/approx. 200 sks. commit. To be on bottom # 6300' w/approx. 200 sks. commit on bottom her w/approx. 200 sks. commit. We propose to perforated
pose to drill the above to the following somes as	the following approximate depths. EXPLOYED TOP 3600' 5579' Les that appear productive of cil or gas. Approx. 350' of 10-3/4' surface Cog. w/approx. 300 sks. A "-5/8" intermediate Cog. w/approx. 300 sks. Or on bottom # 6300' w/approx. 200 sks. commt. To gr on bottom # 6300' w/approx. 300 sks. commt on bottom for w/approx. 200 sks. commt. Into a Mea Verde somes for completion. t receive approval in writing by the Geological Survey before operations may be commenced.
the fallowing mass of Line fallowing mass of Line fallowing mass of Line fallowing mass for the fallowing report to test engages, 4100° prox 2300° of 5-1/2° Mass free the Flatured Company Massalia Fetral	the following approximate depths. EXPLOYED TOP 3600' 5579' Les that appear productive of cil or gas. Approx. 350' of 10-3/4' surface Cog. w/approx. 300 sks. A "-5/8" intermediate Cog. w/approx. 300 sks. Or on bottom # 6300' w/approx. 200 sks. commt. To gr on bottom # 6300' w/approx. 300 sks. commt on bottom for w/approx. 200 sks. commt. Into a Mea Verde somes for completion. t receive approval in writing by the Geological Survey before operations may be commenced.
pose to drill the above to the following somes as	the following approximate depths. ATPROTED TOP 3600' 5579' Les that appear productive of cil or gas, approx. 350' of 10-3/4" surface Cog. w/approx. 300 sks. (2 7-5/8" intermediate Cog. w/approx. 200 sks. commit. To by an bettom 6 6300' w/approx. 200 sks. commit on bettom laser w/approx. 200 sks. commit. We propose to perforated liffs & Mosa Verde somes for completion. t receive approval in writing by the Geological Survey before operations may be commenced.
the fallowing mass of Line fallowing mass of Line fallowing mass of Line fallowing mass for the fallowing report to test engages, 4100° prox 2300° of 5-1/2° Mass free the Flatured Company Massalia Fetral	the following approximate depths. ATPROTED TOP 3600' 5579' Les that appear productive of cil or gas, approx. 350' of 10-3/4" surface Cog. w/approx. 300 sks. (2 7-5/8" intermediate Cog. w/approx. 200 sks. commit. To by an bettom 6 6300' w/approx. 200 sks. commit on bettom laser w/approx. 200 sks. commit. We propose to perforated liffs & Mosa Verde somes for completion. t receive approval in writing by the Geological Survey before operations may be commenced.
the fallowing mass of Line fallowing mass of Line fallowing mass of Line fallowing mass for the fallowing report to test engages, 4100° prox 2300° of 5-1/2° Mass free the Flatured Company Massalia Fetral	the following approximate depths. EXPLOYED TOP 3600' 5579' Les that appear productive of cil or gas. Approx. 350' of 10-3/4' surface Cog. w/approx. 300 sks. A "-5/8" intermediate Cog. w/approx. 300 sks. Or on bottom # 6300' w/approx. 200 sks. commt. To gr on bottom # 6300' w/approx. 300 sks. commt on bottom for w/approx. 200 sks. commt. Into a Mea Verde somes for completion. t receive approval in writing by the Geological Survey before operations may be commenced.
the fallowing mass of Line fallowing mass of Line fallowing mass of Line fallowing mass for the fallowing report to test engages, 4100° prox 2300° of 5-1/2° Mass free the Flatured Company Massalia Fetral	the following approximate depths. EXPENSE TOP JECTS JOST JOST JOST JOST JOST JOST JOST JO
the fallowing mass of Line fallowing mass of Line fallowing mass of Line fallowing mass for the fallowing report to test engages, 4100° prox 2300° of 5-1/2° Mass free the Flatured Company Massalia Fetral	the following approximate depths. ATPROTED TOP 3600' 5579' Les that appear productive of cil or gas, approx. 350' of 10-3/4" surface Cog. w/approx. 300 sks. (2 7-5/8" intermediate Cog. w/approx. 200 sks. commit. To by an bettom 6 6300' w/approx. 200 sks. commit on bettom laser w/approx. 200 sks. commit. We propose to perforated liffs & Mosa Verde somes for completion. t receive approval in writing by the Geological Survey before operations may be commenced.
the fallowing mass of Line fallowing mass of Line fallowing mass of Line fallowing mass for the fallowing report to test engages, 4100° prox 2300° of 5-1/2° Mass free the Flatured Company Massalia Fetral	the following approximate depths. ***********************************
the fallowing mass of Line fallowing mass of Line fallowing mass of Line fallowing mass for the fallowing report to test engages, 4100° prox 2300° of 5-1/2° Mass free the Flatured Company Massalia Fetral	the following approximate depths. EXPENSE TOP JECTS JOST JOST JOST JOST JOST JOST JOST JO

(1) 80.00 CA

Registered Professional Engineer and/or Land Surveyor.

no.ic

e de touge production de la 19 de le Madé de despet de la estación despet de la 19 despetación (SE Se Carlo Viva de

And the first of the second of

Strain a marriage could be a filled

and the second of the second o

Pers 0-126 leviced 5/1/57

-	 ه	_	•
200	 	-	-

			18 a 18	- 4		- F			11∰	Commercial Street Commercial		
Oper	wheet_		AFE	ran c	PANY	I		Jic	WILLA "	Qri.		
			4) (4)	ter.	Swell !		36	_?grapak	19	hu		MEN
Logs							PEL ET	0	Post Pro			Line
Com				_0. L	Lovet	lon	7062	Dedic	eted Les	10000	" '5)	keres
تحيلا		राज्य व्यक्तः चर		الاحدا				Total	Indogla		STEEL BEEFE	(les
1.	Is the		er the	ه کلو	Tre i	the d		acreage	outline	Ta W	Made Hills	
-	Tree A					i i						

otherwise? Yes___He__

is the," list all the o

JUN 30 1958

U. S. GEOLOGIU, TARMINGTON NEW

in l

Magnolia Parroleum Co.

This is to certify that the information in Section A above is true and complete to the boot of my knowledge and belief.

MICHOLIA PERMELEIM COMPANY

this is to cartify that the

T278

Form C-110 Revised 7/1/55

(File the original and 4 copies with the appropriate district office)

CERTIFICATE OF COMPLIANCE AND AUTHORIZATION TO TRANSPORT OIL AND NATURAL GAS

Company or Operator Magnolia Petroleum Company	Lease Jicarilla "G"
Well No. 6 LT-MV Unit Letter M S 36 T 27	N R 3W PoolBlanco Mesaverde
County Rio Arribe Kind of Lease (S	State, Fed. or Patented) Federal
If well produces oil cr condensate, give locatio	
Authorized Transporter of Oil or Condensate Me	ngnolia Petroleum Company - Various Trucker
Address Box 2406, Hobbs, New Mexico	
(Give address to which approved co	
Authorized Transporter of Gas Pacific Northwes	
Address Box 1526, Salt Lake City, Utah	Date Connected
(Give address to which approved colf Gas is not being sold, give reasons and also	explain its present disposition:
Reasons for Filing:(Flease check proper box)	New Well (I)
Change in Transporter of (Check One): Oil ()	Dry Gas () C'head () Condensate ()
	Other ()
Remarks: Original Filing	OCTOU DIST. 3
The undersigned certifies that the Rules and Remission have been complied with.	gulations of the Oil Conservation Com-
Executed this the 28th day of October 19	<u>58</u>
	By of Holmson
Approved 900 956 19	Title District Ges Superintendent
OIL CONSERVATION COMMISSION Original Signed Errery C. Armold	Company Magnolia Petroleum Company
By	Address Box 2406, Hobbe, New Moxico
Title Supervisor Dist. # 3	

OIL CONSERVATION COMMISSION							
AZTEC DISTRICT OFFICE							
No. Copies Received							
DISTRIBUTION							
1 - 1/2 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 1							
Sperator	/						
South No							
Provation dil s	1						
State Love Car							
11.86							
Transporter	Z-						
Pile / L							

.