

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____

Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
Dakota:	Sand water frac with 95,000 lb. and 134,776 gals.					
Pictured Cliffs:	Sand water frac with 100,000 lbs. and 98,000 gals.					

TOOLS USED

Rotary tools were used from _____ 0 _____ feet to 8350 _____ feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

_____, 19____ Put to producing _____ July 5, _____, 1963

The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours DK 2309 _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. SITP 1875 (DK); SITP 943 (PC)

EMPLOYEES

Huron Drilling Company _____, Driller _____, Driller

Contractor _____, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
PERFORATIONS			FORMATION LOG TOPS
Pictured Cliffs			Fruitland: 3724 (±3356)
3906	3916		Pictured Cliffs 3888 (±3192)
3923	3946		Cliffhouse: 5667 (±1413)
3954	3966		Greenhorn: 8035 (-995)
Dakota			Dakota: 8130 (±1050)
8136	8154		
8166	8172		
8178	8194		
8238	8244		
8274	8296		
8320	8330		
FOR ADDITIONAL INFORMATION, SEE ATTACHED HISTORY			
JO—	JO—	JO—	JO—

FORMATION RECORD—Continued