

(SUBMIT IN TRIPLICATE)


Land Office Santa Fe

Lease No. MM 03547

Unit _____

Branch "F"

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

1959

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

2-16, 1959

Well No. WV-12 is located 990 ft. from N line and 990 ft. from E line of sec. 35

35 27N 6E NMFM
(Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Blanco Mesa Verde Nio Abasco New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6319 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled w/cas 3400' to TD 5682'.
Hung 5 1/2" 15.54 J-55 Casing in liner 3323 to 5670.
Cemented liner w/250 sacks cement w/65 gal. & 50 sacks neat.
Plug down 7:00 AM 5-24-58.
Tested liner w/1800# pressure found hanger had leak.
Perforated with 2 holes at 3330' & 2 holes at 4890'. Set 1/2" cement retainer at 4781'
& squeezed with 40 sacks final pressure 3500#.
Run retrievable squeeze packer to 3215' and squeezed top of liner with 110 sacks.
final pressure 3750#.
Drilled out cement to top of 1/2" retainer then tested casing and found formation would
take fluid at rate of 3 bbls. per min. set retrievable retainer at 3214 and squeezed
with 75 sacks final pressure 3700#
Drilled out cement and tested casing with 3000# it held OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Caulkins Oil Company

Address P.O. Box 967

Farlington, New Mexico

By Frank Gray

Title Field Supt.