District I 2 O Box 1980, Hobbs, NM District II P.O. Drawer DD, Artesia, NM 88211 District III 1000 Rio Brazos Rd, Azzec, NM 87410

## State of New Mexico Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO APPROPRIATE DISTRICT OFFICE

## OIL CONSERVATION DIVISION CONTROL AND 1 COPY TO P.O. Sox 2088 P.O. Sox 2088 Santa Fe, New Mexico 87504-20 DEPUTY OIL & GAS INSPECTOR

AND 1 COPY TO

SEP 11 1 1995

## PIT REMEDIATION AND CLOSURE REPORT

		Hara reverel		
1	lliams Field Service			
[		t Lake City, UT 84158		
Facility Or:	CHAMPLIN #3	MV		
B Location: Unit or Qtr/Qtr Sec NW/4 NE/4 Sec 35 T 27N R 4W County RIO ARRIGA				
Pit Type: Separator DehydratorX Other				
Land Type: BL	M, State, Fe	ee_, other Carson National Jarest		
Pit Location: (Attach diagram)	Pit dimensions: length // , width //2 , depth 3'			
		$\mathtt{ad}_{\underline{X}}$ , other		
	Footage from refer	ence: <u>/23</u>		
	Direction from ref	erence: <u>/5</u> Degrees <u>X</u> East North <u>X</u> of West South		
Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)		Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 Points)  DECEWED		
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)		SEP 1 9 1994  Yes (20 points) No (0 points) DIST. 3		
Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)		Less than 200 feet (20 points) 200 feet to 1000 feet (10 points) Greater than 1000 feet (0 points)		
		RANKING SCORE (TOTAL POINTS):		

Date Remediation St	arted:	Dated Completed:	
Remediation Method: (Check all appropriate	Excavation	Approx. cubic yards	
sections)	Landfarmed	Insitu Bioremediation	
	Other		
Remediation Location: Onsite Offsite		Offsite	
(ie. landfarmed onsite, name and location of			
offsite facility)			
General Description Of Remedial Action:			
Site Assessment in accordance with OCD and BLM guidance document.			
Ground Water Encountered: No X Yes Depth			
Final Pit:	Sample locati	on <u>Standard Triangle from pit floor.</u>	
Closure Sampling: (if multiple samples,			
attach sample results and diagram of sample	Sample depth	3'	
locations and depths)		7-9-94 Sample time 12:300	
	Sample Result:		
	Benzene()	ppm)	
	Total BT	EX(ppm)	
		adspace(ppm) <u>52</u>	
	TPH 7		
Ground Water Sample:	Yes	No X (If yes, attach sample results)	
I HEREBY CERTIFY THE	T THE INFORMAT	FION ABOVE IS TRUE AND COMPLETE TO THE BEST	
DATE 9-6-94	1		
DATE 9-6-94 SIGNATURE 74 John	PRIN AND	NTED NAME TITLE Lee Bauerle, Environmental Spec.	



**AMERICAN** WEST **ANALYTICAL LABORATORIES** 

## ORGANIC ANALYSIS REPORT

Client: Mile High Environmental Date Sampled: July 9, 1994

Date Received: July 12, 1994

Set Description: Forty Solid Samples

Set Identification #: 19070 Contact: Mark Harvey

Received By: Eddie Richmond

Analysis Requested:

Total Recoverable Petroleum

Hydrocarbons

Method Ref. Number: EPA 418.1 (Extraction

Date Extracted: July 18, 1994

Infrared Absorption)

463 West 3600 South Salt Lake City, Utah 84115

Lab Sample ID. Number:

19070-40

Compound:

Field Sample ID. Number:

Vulnerable Area Pits (TPD)

Date Analyzed: July 20, 1994

Champlin #3/86474

Analytical Results

Total Recoverable Petroleum Hydrocarbons

(801) 263-8686 Fax (801) 263-8687

Units = mg/kg (ppm)

Detection Limit:

Amount Detected:

Total Recoverable Petroleum Hydrocarbons

10.

770.

<Value = None detected above the specified method detection limit, or a value that reflects a reasonable limit due to interferences.

Released by: