


(SUBMIT IN TRIPLICATE)

Indian Agency **Hearilla Tribal**
Contr. #95, Tract 184UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYAllottee _____
Lease No. **Hearilla "G"**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 29, 1958

Well No. 5 is located 990 ft. from XX line and 890 ft. from XX line of sec. 25SW 1/4 Sec. 25

(1/4 Sec. and Sec. No.)

27N

(Twp.)

3W

(Range)

N.M.P.M.

(Meridian)

Blanco M.V. & Undesig. P.C.

(Field)

Rio Arriba

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is 7359 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill the above well to a total depth of 6400' with Rotary
propose to test the following zones at the following approximate depths.SANDPictured CliffsMesa VerdeEXPECTED TOP3870'5660'

We expect to test any other zone which appears productive of oil or gas.

CASING PROGRAM

Propose to set approximately 350' of 10-3/4" surface csg. w/approximately 300 sks. cement.

To set approximately 4100' of 7-5/8" intermediate csg. w/approximately 200 sks. cement.

To set approximately 2400' of 5-1/2" liner on bottom @ 6400' w/approximately 200 sks.

cement on bottom and will squeeze top of 5-1/2" liner w/approximately 200 sks. cement. We propose to perforate & sand-water frac the Pictured Cliffs & Mesa Verde zones for completion

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Magnolia Petroleum CompanyAddress P. O. Box 2406Hobbs, New MexicoBy G. Young, Jr.Title District Superintendent

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.

Date April 28, 1958

Operator MAGNOLIA PETROLEUM COMPANY Lease JICARILLA "G"
Well No. 5 Unit Letter Section 25 Township 27N Range 3W NMPH
Located 890 Feet From West Line, 990 Feet From South Line
County Rio Arriba G. L. Elevation 7359 Dedicated Acreage 388 Acres
Name of Producing Formation Nasa Verde Pool Blanco


1. Is the Operator the only owner* in the dedicated acreage outlined on the plat below?
Yes X No .
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes No . If answer is "yes," Type of Consolidation
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner

Land Description

RECEIVED
MAY 1 1958
U. S. GEOLOGICAL SURVEY
BIRMINGHAM, NEW MEXICO

Section B.



This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

Magnolia Petroleum Company

(Operator)

J. Young, Jr.
(Representative)

Box 2426, Hobbs, New Mexico

Address

This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed April 23, 1958

Carl E. Turner
Registered Professional
Engineer and/or Land Surveyor.

Certificate No. 2490

