New Mexico OIL CONSERVATION COMMISSION Aztec, New Mexico

August 13, 1957

Magnolia Petroleum Company P.O. Box 2406 Hobbs, New Mexico

Att: Mr. W. C. Dougherty, District Separintendent

Re: Application for Dual Completion Magnolia #4 Jicarilla MGM, SW& Section 26-27N-3W, Rio Arriba Co.

Gentlemen:

This letter will serve as your tentative approval for the dual completion of the above well as a gas-gas dual in the Pictured Cliffs and Mesaverde sones.

It is understood the well will be equipped as set out in your application. Upon final completion, application for administrative approval should be made to Mr. A. L. Porter, Santa Fe, N.M.

Yours very truly

Emery C. Arnold Supervisor, District #3

ECA :ks

OCC, Santa Fe, N.M.

CONSTRUCT CONSTRUCT COMMSSION Commission Commissio

A Company of the Comp

igrapi i enedon en antonomio. Enedon estado Enedon a antonomio.

and restall algebra and the gradient at a consequence set of

Teller of Indian Contraction in the Contraction of the Contraction of

n one Asses

Lights of a significant spine of the second of the second

ប្រភព ខ្លាំ ១០០ កុស ១០០ បែលជាឈ្មោះ ១០០១៨៤០ ស្ថិត្ត ប្រជាជាប្រាប់ ១០០០០ ១០៩៩៣០ ក្រុមប្រឹក្សាស្ថិត ស្ថិត ស្ថិត ស្ថិតនៅស្ថិតសម្ពុជាស្វិតសម្ព័ប្រិស្សិត ក្រុមប្រឹក្សាស្វិត ស្វិតសម្ព័ប្បធម្ម ស្វិសាស្សិត ១០១៤ ស្ថិត ប្រែសាស្ត្រី ស្វិសុស្សិត សុខសម្ព័ប្រិស្សិស្សិស្សិស សុខសាស្សិកបញ្ចុំ អ្នកប្រឹក្សាសិស្សិស

omental a la report

Passal as model Registro Sulla Registro

The second secon

MAGNOLIA PETROLEUM COMPANY

A SOCONY MOBIL COMPANY

P. O. Box 2406 Hobbs, New Mexico July 26, 1957

New Mexico Oil Conservation Commission Aztec, New Mexico

Attention: Mr. Emery C. Arnold

Re: Jicarilla "G" #4
Section 26, T-27N, R-3W
Undesignated Field
Rio Arriba County, New Mexico

Gentlemen:

We propose to drill the subject well to a projected depth of 6500. It is further proposed to dually complete this well in the Pictured Cliffs and Mesa Verde zones.

We further propose to set a 10-3/hm surface casing, 7-5/8m intermediate string at approximately 4200m, and set a 5-1/2m liner on bottom. We will perforate in the Pictured Cliffs and Mesa Verde zones and attempt a dual gas completion. We further propose to set a production packer at approximately 5300m, separating the two zones. We further propose to run a dual string of tubing as follows: Pictured Cliffs tubing to be set at approximately 3500m; Mesa Verde tubing to be set at 5410m. No side-door chokes will be used.

Subject well is located 990' FSL and 990' FWL of Section 26. T-27N, R-3W. Rio Arriba County, New Mexico.

Yours very trul

W. C. Dougherty
District Superintendent

of Production