

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 97367-B
Unit San Juan 26-6 Unit
14-00-001-1051

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Sept. 3, 1962

Well No. 5011M is located 1040 ft. from N line and 1400 ft. from E line of sec. 22

NE/4 Sec. 22 (1/4 Sec. and Sec. No.) 27N (Twp.) 9W (Range) N.M.P.M. (Meridian)
Blanco & Co. Blanco P. Co. (Field) Hio Azteca (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 6324 ft.

DETAILS OF WORK


(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spud date 9-1-62.

On 9-2-62 Total Depth 174'.

Ran 4 joints 10 3/4, 32.75#, Amoco G.W. casing (103') set at 174' w/150 sacks regular cement, 2% Calcium Chloride, 2% Gel, 1/2 Cu. Ft. Strata-Crete "6"/sh, circulated to surface.

Held 900#/30 minutes.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 507

Farmington, New Mexico

By ORIGINAL SIGNED R.L. NICKELL, JR

Title Petroleum Engineer

B. & R. SERVICE, INC.

TEMPERATURE SURVEY

COMPANY EL PASO NATURAL GAS COMPANY

WELL S.J. 28-6 #85

FIELD

COUNTY RIO ARriba

STATE NEW MEXICO

SEC. 24 No 25

TWP.

27 N

RGE. 6 W


APPROX. TOP CEMENT 2200'

Survey Begins at 2000' Ft. Ends at 3182' Ft.
Approx. Fill-Up 100% Max. Temp. 78° @ 3182'
Log Measured From R.T. Run No. 1


Casing Size	Casing Depth	Diam of Hole	Depth
7 5/8" from	to 3233'	9 7/8" from	to
from	to	from	to


Date of Cementing	SEPTEMBER 8, 1959	Time	7:15 P.M.
Date of Survey	SEPTEMBER 9, 1959	Time	1:00 A.M.
Amount of Cement	60 SKS	Type	REGULAR
Amount of Admix		Type	
Recorded by	HATFIELD	Witnessed by	

REMARKS OR OTHER DATA
CEMENTED WITH 60 SKS POS 50-50
2% GEL, 16 CU.FT. STRATOCRETE 50 NEAT



TEMPERATURE IN DEGREES FAHRENHEIT





(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 079367-B
Unit San Juan 23-6 Unit
14-08-001-1051

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 15, 1959

Well No. 22 (PM) is located 1460 ft. from [N] line and 1460 ft. from [E] line of sec. 25

NR/4 Sec. 25 27N 6W 1460N
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Blanco N.V. & Co. Blanco P.C. Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6394 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

On September 12, 1959. Total Depth 5444.

Run 4 joints 5 1/2", J-55, 15.5# liner (2271) set from 3170 to 5441 with 150 sacks regular cement, 150 sacks Pozmix, 1/2# Floccs/sk. & 6# Gel, 1# Fin Tuff Plug/sk followed with 50 sacks Best cement.

Held 100# 30 minutes.

Top of cement by temperature survey at 3200.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 927

Albuquerque, New Mexico

By ORIGINAL SIGNED H.E. McANALLY

Title Petroleum Engineer

Santa Fe

Land Office


Lease No. **079367-B**

Unit **San Juan 28-6**

14-08-001-10-1

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	X
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

September 15, 1959

Well No. **75 (FM)** is located **1940** ft. from **[N]** line and **1460** ft. from **[E]** line of sec. **25**

NE 25 (1/4 Sec. and Sec. No.) **27N** (Twp.) **6W** (Range) **104N** (Meridian)
Hance & So. Hance P.C. (Field) **Rio Arriba** (County or Subdivision) **New Mexico** (State or Territory)

The elevation of the derrick floor above sea level is **6394** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On September 8, 1959, Total Depth **3245**.

Run **22** joints **7 5/8"**, **J-55**, **26.40#**, Casing (**3233.70**) set at **3245'** with **30** sacks regular cement, **30** sacks Foxmix, and **2 1/2** Gal, **16** cu. ft. Stratocrete "6" followed with **50** sacks Neat cement.

Held **1000#** **30** minutes.

Top of cement by temperature survey at **2200'**.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **El Paso Natural Gas Company**

Address **Box 997**

Farmington, New Mexico

ORIGINAL SIGNED H.E. McANALLY

By _____

Title **Petroleum Engineer**