

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator

**BURLINGTON
RESOURCES**

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

1450' FNL, 990' FEL, Sec. 27, T-27-N, R-5-W, NMPM

5. Lease Number
SF-079403

6. If Indian, All. or
Tribe Name

7. Unit Agreement Name

8. Well Name & Number
San Juan 27-5 U #11

9. API Well No.
30-039-06914

10. Field and Pool
Tapacito Pict. Cliffs/
Blanco Mesaverde

11. County and State
Rio Arriba Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment

Type of Action

☒ Abandonment ☐ Change of Plans
☒ Recompletion ☐ New Construction
☐ Plugging Back ☐ Non-Routine Fracturing
☐ Casing Repair ☐ Water Shut off
☐ Altering Casing ☐ Conversion to Injection
☒ Other - Restimulation and commingle

13. Describe Proposed or Completed Operations

MIRU workover rig. Pull 2 3/8" tubing. Set cast iron bridge plug above the Point Lookout at approximately 5400'. Pressure test casing to 3000 psi. Run CBL-CCL-GR from cast iron bridge plug to top of cement in the 5 1/2" casing. Perforate 2 squeeze holes in 5 1/2" casing above top of cement at approximately 3185'. Squeeze with 100 sx Class "B" cement between 7" and 5 1/2" casing. Drill out cement and pressure test casing. Selectively perforate and stimulate Menefee formation. Set retrievable bridge plug above the Menefee formation. Selectively perforate and fracture stimulate Cliff House formation. Set retrievable bridge plug above the Cliff House formation. Selectively perforate and fracture stimulate Lewis formation. Set retrievable bridge plug above Lewis formation. Selectively perforate and fracture stimulate Pictured Cliffs formation. Remove bridge plugs and clean out to plug back total depth. Re-run 2 3/8" tubing.

The Mesaverde and Pictured Cliffs formations will then be commingled and the well will be returned to production. A down hole commingle application will be submitted.

DHC 318AZ, 3-18-1

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] (KSLWIM) Title Regulatory Supervisor Date 3/12/01
no

(This space for Federal or State Office use)

APPROVED BY /s/ Jim Lovato Title _____ Date _____

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOCD

K

District I
PO Box 1980, Hobbs, NM 88241-1980
District II
PO Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
PO Box 2088, Santa Fe, NM 87504-2088

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
PO Box 2088
Santa Fe, NM 87504-2088

Form C-102
Revised February 21, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-039-06914	² Pool Code 85920/72319	³ Pool Name Tapacito Pictured Cliffs/Blanco Mesaverde
⁴ Property Code 7454	⁵ Property Name San Juan 27-5 Unit	⁶ Well Number 11
⁷ OGRID No. 14538	⁸ Operator Name Burlington Resources Oil & Gas Company LP	⁹ Elevation 6493' GR

¹⁰ Surface Location



UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	27	27N	5W		1450'	North	990'	East	RA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres PC - 160 MV-E/320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

¹⁶ Original plat prepared by James P. Leese 5-21-55		¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief  Signature Peggy Cole Printed Name Regulatory Supervisor Title 3-12-01 Date
		¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey Signature and Seal of Professional Surveyer: Certificate Number

San Juan 27-5 Unit #11

Blanco Pictured Cliffs
Unit H, Section 27, T27N, R05W
Rio Arriba County, NM
Elevation: 6493' GL, 6503' KB
LAT: 36° 32.8' / LONG: 107° 20.37'

Current

9 5/8", 25.4# csg set
@ 173' w/ 125 sx,
circ to surf

7", 20#, J-55 csg set
@ 3361' w/ 250 sx.
TOC @ 2425' (TS)


5 1/2", 15.5#, J-55
csg set @ 5633' w/
220 sx.
TOC @ 3185' (TS)

2" tubing set @
5567'

Perfed Cliffhouse
4914-4932 Frac w/
51,100 gal wtr,
60,000# sand.

Pilot tested Cliffhouse
206 mcf/d dry.
Squeezed w/ 100 sx
DOC material at
original completion.

Perf @ 5532-5550,
5486-5499, 5422-
5452. Frac
w/52,000 gals wtr,
55,000# sand.



TD: 5640'
PBD: 5580'

Proposed

Ojo Alamo @ 2633'

Kirtland @ 2840'

Fruitland @ 3007'


Pictured Cliffs @ 3261'

Lewis @ 3323'

Cliffhouse @ 4912'

Menefee @ 5062'

Point Lookout @ 5428'



TD: 5640'
PBD: 5580'

Selectively perf & frac
Menefee, Cliffhouse,
Lewis, Pictured Cliffs.