

# UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

P. 0. Box 965 Farmington, New Mexico

June 20, 1956

El Paso Natural Gas Company Box 997 Farmington, New Mexico

Re: Santa Fe 078640 14-08-001-459

#### Gentlemen:

Receipt is acknowledged of your "Notice of Intention to Drill" dated June 19, 1956 covering your well No. 64 San Juan 28-7 Unit in SW sec. 22, T. 27 N., R. 7 W., N. M. P. M., Rio Arriba County, New Mexico, So. Blanco pool.

Your proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 1942, a copy of which will be sent to you on request, and subject to the following conditions:

- Drilling operations so authorized are subject to the attached sheet for general conditions of approval.
- 2. Furnish copies of all logs.

Very truly yours,

(Orig. Sgd.) P. T. McGRATH

P. T. McGrath District Engin

JUL 10 1956 OIL CON. COM. DIST. 3

PTMcGrath:ac



# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

. Parting

After the control of the control of the

ing of the second of the secon

A Commence of the Commence of

Kirthy at a common of

A TOUR OF A TOUR BEAUTY OF A TOUR BEAUTY OF THE SERVICE OF THE SER

The Mark Control (1987) And the Control of the Mark Control of th

- The state of the s Topic in the second seco
  - \* The Total Control of the Control o

to the second second

restant en 🚅

101 10 1958 OIL CON COM.

For (I	<b>m 9-</b> reb. 19	<b>331 a</b> 951)	


### (SUBMIT IN TRIPLICATE)

# UNITED STATES **DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY**

4		. 12-3 . 12-3	
Land Office	ان إد	À.	
Lease No.	M.	2 ~	/ Uni
Unit 14-00	-(N).	-113	<del>}</del>

Budget Bureau No. 42-R358.4.

SUBSEQUENCY OF INTENTION TO CHANGE PLANS  OTICE OF INTENTION TO TEST WATER SHUT-OFF  SUBSEQUENCY OF INTENTION TO RE-DRILL OR REPAIR WELL  OTICE OF INTENTION TO SHOOT OR ACIDIZE  OTICE OF INTENTION TO PULL OR ALTER CASING.  OTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF RE  SUBSEQUE  SUBSEQU	June 19, 19  1 990 ft. from E line of sec. 22  NWM  (Meridian)  Sew Mexico
SUBSEQUENCY OF INTENTION TO CHANGE PLANS.  STICKE OF INTENTION TO TEST WATER SHUT-OFF  OTICE OF INTENTION TO RE-DRILL OR REPAIR WELL  OTICE OF INTENTION TO SHOOT OR ACIDIZE  SUBSEQUENCY	REPORT OF ALTERING CASING.  REPORT OF RE-DRILLING OR REPAIR.  REPORT OF ABANDONMENT.  ARY WELL HISTORY  T, NOTICE, OR OTHER DATA)  192  192  192  192  193  194  195  195  195  195  195  195  195
SUBSECTION OF INTENTION TO RE-DRILL OR REPAIR WELL OTICE OF INTENTION TO SHOOT OR ACIDIZE OTICE OF INTENTION TO SHOOT OR ACIDIZE OTICE OF INTENTION TO PULL OR ALTER CASING OTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF RE  (INDICATE ABOVE BY CHECK MARK NATU	REPORT OF RE-DRILLING OR REPAIR  REPORT OF ABANDONMENT  ARY WELL HISTORY  T, NOTICE, OR OTHER DATA)  19  19  19  19  19  19  19  19  19  1
SUBSEQUENCE OF INTENTION TO SHOOT OR ACIDIZE  OTICE OF INTENTION TO PULL OR ALTER CASING OTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF RE  (INDICATE ABOVE BY CHECK MARK	REPORT OF ABANDONMENT.  ARY WELL HISTORY  T, NOTICE, OR OTHER DATA)  19  19  19  19  19  10  10  10  10  10
OTICE OF INTENTION TO PULL OR ALTER CASING.  OTICE OF INTENTION TO ABANDON WELL.  (INDICATE ABOVE BY CHECK MARK NATURE OF RE  (INDICATE ABOVE BY CHECK MAR	ft. from   Line of sec.   19.
(INDICATE ABOVE BY CHECK MARK NATURE OF RE  (INDICATE ABOVE BY CHE	ft. from   Line of sec.   19.
(INDICATE ABOVE BY CHECK MARK NATURE OF RECEIVED AND ASSOCIATION OF THE CONTROL O	June 19, 19, 19, 19, 19, 19, 19, 19, 19, 19,
is located 29 ft. from S line  section 22  (4 Sec. and Sec. No.)  (1 Sec. and Sec. No.)  (2 Sec. and Sec. No.)  (3 Sec. and Sec. No.)  (4 Sec. and Sec. No.)  (5 Sec. and Sec. No.)  (6 Sec. and Sec. No.)  (7 Sec. and Sec. No.)  (7 Sec. and Sec. No.)  (8 Sec. and Sec. No.)  (9 Sec. and Sec. No.)  (9 Sec. and Sec. No.)  (9 Sec. and Sec. No.)  (1 Sec. and Sec. No.)  (2 Sec. and Sec. No.)  (3 Sec. and Sec. No.)  (4 Sec. and Sec. No.)  (5 Sec. and Sec. No.)  (6 Sec. and Sec. No.)  (7 Sec. and Sec. No.)  (8 Sec. and Sec. No.)  (9 Sec. and Sec. No.)  (1 Sec. and Sec. No.)  (2 Sec. and Sec. No.)  (3 Sec. and Sec. No.)  (4 Sec. and Sec. No.)  (5 Sec. and Sec. No.)  (6 Sec. and Sec. No.)  (6 Sec. and Sec. No.)  (7 Sec. and Sec. No.)  (8 Sec. and Sec. No.)  (9 Sec. and Sec. No.)  (1 Sec. and Sec. No.)  (2 Sec. and Sec. No.)  (3 Sec. and Sec. No.)  (6 Sec. and Sec. No.)  (6 Sec. and Sec. No.)  (7 Sec. and Sec. No.)  (8 Sec. and Sec. No.)  (9 Sec. and Sec. No.)  (9 Sec. and Sec. No.)  (1 Sec. and Sec. No.)  (1 Sec. and Sec. No.)  (1 Sec. and Sec. No.)  (2 Sec. and Sec. No.)  (3 Sec. and Sec. No.)  (4 Sec. and Sec. No.)  (5 Sec. and Sec. No.)  (6 Sec. and	June 19, 19  1 990 ft. from E line of sec. 22  NWM  (Meridian)  Sew Mexico
(W. Sec. and Sec. No.)  (Twp.)  (Range)  (Field)  (County or Subdivision)  the elevation of the derrick floor above sea level is  DETAILS OF Whate names of and expected depths to objective sands; show sizes, weights, and ing points, and all other important in intended to drill a well thru the Picture and to perfure and the fracture points.  Details and to perfure and the fracture points.  Sin Production 22 is dedicated to this sacks result in the product of the produ	ft. from E line of sec. 22  Meridian Sev Rex100
(W. Sec. and Sec. No.)  (Twp.)  (Range)  (Field)  (County or Subdivision)  the elevation of the derrick floor above sea level is  DETAILS OF Whate names of and expected depths to objective sands; show sizes, weights, and ing points, and all other important in intended to drill a well thru the Picture and to perfure and the fracture points.  Details and to perfure and the fracture points.  Sin Production 22 is dedicated to this sacks result in the product of the produ	(Meridian)
(K Sec. and Sec. No.)  (Range)  (Field)  (County or Subdivision)  (Received)  (County or Subdivision)  (Received)  (County or Subdivision)  (Received)  (County or Subdivision)  (County or Subdivision)  (Range)  (County or Subdivision)  (County or	(Meridian)
(Field) (County or Subdivision)  the elevation of the derrick floor above sea level is  DETAILS OF Water names of and expected depths to objective sands; show sizes, weights, and ing points, and all other important is intended to drill a well thru the Fictions and to perform a said water fracture points.  D. 30-5.  Sim Program:  9 5/6" and 120" with 125 sacks regulated to 1/2" at 3045" with 75 sacks regulated.  20 1/2" at 3045" with 75 sacks regulated.  1 understand that this plan of work must receive approval in writing by the	a Mexico
(Field) (County or Subdivision)  the elevation of the derrick floor above sea level is  DETAILS OF Whate names of and expected depths to objective sands; show sizes, weights, and ing points, and all other important ing points, and all other importants and to perform the field said to perform the said said of fracture points.  D. 30-5.  Sin Projection 22 is dedicated to this plan of work must receive approval in writing by the county of Subdivision)  I understand that this plan of work must receive approval in writing by the county of Subdivision)  One of the derrick floor above sea level is  DETAILS OF What is plan of work must receive approval in writing by the county of Subdivision)  One of the derrick floor above sea level is  DETAILS OF What is plan of work must receive approval in writing by the county of Subdivision)  One of the derrick floor above sea level is  DETAILS OF What is plan of work must receive approval in writing by the county of the county of Subdivision)  One of the county of Subdivision of the county of Subdivision of	
DETAILS OF Water names of and expected depths to objective sands; show sizes, weights, and its intended to drill a well turn the Pictorias and to perfurable and sover fracture points.  D. 30-5'.  Sin Project:  9 5/0" at 120' with 125 sacks regulated to 1/2" at 3045' with 75 sacks regulated.  2 30/4 of section 22 is dedicated to this first order.	(State or Territory)
DETAILS OF Water names of and expected depths to objective sands; show sizes, weights, and all other important in the product of the product of the weilt thru the Pictoria and to perfure said water fracture points.  D. 30.5.  Sin Production 22 is dedicated to this plan of work must receive approval in writing by the production of the	
DETAILS OF Water names of and expected depths to objective sands; show sizes, weights, and all other important in the product of the product of the weilt thru the Pictoria and to perfure said water fracture points.  D. 30.5.  Sin Production 22 is dedicated to this plan of work must receive approval in writing by the production of the	ft.
is intended to drill a well thru the Fictions and to perforable and water fracture points.  D. 30-5'.  Sin Project:  9 5/6" at 120' with 125 sacks regulated to 1/2" at 3045' with 75 sacks regulated.  2 30/4 of Section 22 is dedicated to this sack.  I understand that this plan of work must receive approval in writing by the	
is intended to drill a well thru the Fictions and to perforable and water fracture points.  D. 30-5'.  Sin Project:  9 5/6" at 120' with 125 sacks regulated to 1/2" at 3045' with 75 sacks regulated.  2 30/4 of Section 22 is dedicated to this sack.  I understand that this plan of work must receive approval in writing by the	ngths of proposed casings; indicate mudding jobs, cerr oposed work)
9 5/0" at 120' with 120 sacks regular of 1/2" at 3045' with 75 sacks regular 22 is dedicated to this 1/4, if 070040.	a citic formation using rotary
I understand that this plan of work must receive approval in writing by th	cement circulated to the surfacement, 75 anche for
	·· / rectiff
	OIL CON 1956
	OIL 10 1956 OIL COM. COM.
ompany 31 Aug Tatural (No Company	OIL CON. COM. COM. COM. COM. COM. COM. COM. COM
ddress 397	OIL CON. COM. COM. COM. COM. COM. COM. COM. COM
Farmington, New Mexico	OIL 10 1956 OIL COM. COM.
	OIL CON COM



arrabally the

# NEW MEXICO

# OIL CONSERVATION COMMISSION

#### WELL LOCATION AND OR GAS PRORATION PLAT

						SF 078640
· 64		22	200 - 12 <u></u>	27-N		7 <u>-W</u>
990		SOUTH		990		
RIO ARR	IBA	5 (A. A. A. A.)				6575
1	P <b>IC</b>	TURED CLIFF	so	. BLANCO		160
	Note: All in	dan es ma files	from outer t	woundarie.	at weather	(1882 P <b>LAT</b> )
Γ						
	1		i	* } :		
-			+	· · · · · · · · · · · · · · · · · · ·	÷ ·	•
	1		!	1	1	*
			<del>-</del>	· · · · · · · · · · · · · · · · · · ·	<del> </del>	
	i		1	1		v
-	<del></del>			<b> </b>	·+··	
		VILLE CALL	1 22	:	·	
**					+	
3	S# 078640	,		l		
						NOIF
<b>1</b> .						The section of
	930'			;		herm is to be used
				<del></del>	1	
	666		!	!	1	101
	, , , , , ,					JUL 1 0 1956
^\	,,,,,,,,,,,,	Some faller	es esqueric I	mele	1	Dies com
on the courtests that	the one ve plots	sa carecere l'Iron		[		s VII a Dual Comp.
of actual s					Yes _	
. Some and that t	ne same are tru	ound correct to t	ttie*			answer to Question :
st a v knowle tge	and before.				•	, are there any other fundivected wells within the
Surveyed	APRIL 1/ 1	<b>95</b> 6			,	ded acrosses.
	1	2/		İ		<u> </u>
ctored Profession	Line from	Le Contraction de la Contracti			Name:	riginal Signed By R.C. Wynn
Circle Franciscion						Petroleum Engineer
				E	Positi	El Page Natural Cas Co
				4	керте.	Senting Box 997, Permin ton, N.
					Addre.	

See de

Form 9-881 a (Feb. 1951)
-----------------------------



## (SUBMIT IN TRIPLICATE)

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Sents	. Fe	
Lease No.	0700	ю	
Unit San			Un11
	-2. no		

NOTICE OF IN	ITENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	X
	ITENTION TO CHANGE PLANS.	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
	ITENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
	ITENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
	-	SUBSEQUENT REPORT OF ABANDON THE	
	TENTION TO SHOOT OR ACIDIZE	SUPPLEMENTARY WELL HISTORY	
	ITENTION TO PULL OR ALTER CASING	OF C	ू <u>च</u> पूर्ण
OTICE OF IN	TENTION TO ABANDON WELL	CEC MEN	
	(INDICATE ABOVE BY CHECK MARK	NATURE OF REPORT, NOTICE, OR OTHER MATAL MING	
		December 5,	10.56
ell No		$\{S\}$ line and $\{W\}$ line of sec.	22
y Secti	Ca 22 27 2. and Sec. No.) (Twp.)	(Range) (Meridian)	
	Charles 1		
o. Blac	(Field) (County of	or Subdivision) (State or Territory)	
	f and expected depths to objective sands; show siz ing points, and all o	LS OF WORK  es, weights, and lengths of proposed casings; indicate mudding jobs ther important proposed work)	s, cement-
Synd das On 11-2; Ran 3 jo LOO saci	f and expected depths to objective sands; show size ing points, and all of the control of the co	es, weights, and lengths of proposed casings; indicate mudding job ther important proposed work)  Piral weld casing (121') set at 132'	
iguid dat du 11-2; kan 3 ja .00 saci keld 500	te 11-24-56. 5-56 Total Depth 140'. 5-56 Tota	piral weld casing (121') set at 12'  piral weld	
Dynd dat On 11-2; Ran 3 ja LOO saci Seld 500	te 11-24-56. 5-56 Total Depth 140'. 5-56 Tota	piral weld casing (121') set at 12' to surface.  Piral weld casing (121') set at 12' to surface.  Piral weld casing (121') set at 12' to surface.  Piral weld casing (121') set at 12' to surface.	rith
Byud dai Ran 3 ji LOO saci Beld 50	te 11-24-56. 5-56 Total Depth 140'. 5-56 Tota	piral weld casing (121') set at 12'  piral weld	rith
pud dat in 11-2; ian 3 ja .00 saci keld 506	te 11-24-56. 5-56 Total Depth 140'. 5-56 Tota	piral weld casing (121') set at 12'  to surface.  ORIGINAL SIGNED F.	rith

