

#31 Perforation Record

6078, 80, 82, 84, 86, 88, 90, 6114, 16, 18, 20, 22, 24, 26, 28, 34, 36, 38, 44, 46, 48, 66, 68, 6206, 08 & 6210 w/1 JSPF, total of 26 holes.
5882, 84, 86, 88, 90, 5958, 60, 62, 64, 66, 68, 82, 84, 86, 88, 90, & 5992 w/1 JSPF, total of 17 holes.
5742, 44, 46, 59, 61, 65, 67, 69, 71, 73, 79, 81, 83, 85, 5812, 14, 16, 18, 20, 22, 24, & 5826 w/1 JSPF, total of 22 holes.

#32 Depth Interval

Amount and kind of material used

6078-6210


62,000 gals fr wtr + 42,000# 20/40 sd as follows:
P 8,000 gals pad w/o sd, then P 8,000 gals w/1/4#
20/40 sd per gal + 8,000 gals w/1/2# - 20/40 sd per
gal + 8,000 gals w/3/4# - 20/40 sd per gal + 30,000
gals w/1# sd per gal.

5882-5992

500 gals 15% NEA + 40,000 gals fr. wtr + 28,000#
20/40 sd as follows: P 500 gals acid + 8,000 gals
pad w/o sd + 8,000 gals w/1/4# - 20/40 sd per gal +
8,000 gal w/1/2# - 20/40 sd per gal + 8,000 gal
w/3/4# - 20/40 sd per gal + 16,000 gals w/1# - 20/40
sd per gal.

5742-5826

500 gals 15% NEA + 58,000 gals FW + 38,000# - 20/40
sd as follows: P 500 acid + 8,000 gals pad w/o sd +
8,000 gals w/1/4# - 20/40 sd per gal + 8,000 gals
w/1/2# - 20/40 sd per gal + 8,000 gals w/3/4# 20/40
sd per gal + 26,000 gals w/1# - 20/40 sd per gal.



RECEIVED

MAR 12 1976

U. S. GEOLOGICAL SURVEY
DURANGO COLO.