

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

Form approved.

Budget Bureau No. 1004-0137

Expires August 31, 1985

RECEIVED
BLM

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL:		OIL WELL ☐	GAS WELL ☒	DRY ☐	OTHER ☐										
1b. TYPE OF COMPLETION:		NEW WELL ☒	WORK OVER ☒	DEEP-EN ☐	PLUG BACK ☐	DIFF. RESVR. ☐	OTHER ☐								
2. NAME OF OPERATOR CONOCO INC.						6. IF INDIAN, ALLOTTEE OR TRIBE NAME									
3. ADDRESS OF OPERATOR 10 DESTA DR. STE 100W, MIDLAND, TX. 79705 (915) 685-5424						7. UNIT AGREEMENT NAME									
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 580' FNL & 1140' FWL, UNIT LTR 'D' At top prod. interval reported below At total depth						8. FARM OR LEASE NAME 070 FARMINGTON, NM SAN JUAN UNIT 28-7 WELL # 125M									
14. PERMIT NO.						9. API NO. 30-039-25546									
15. Date Spudded 4-22-96						10. FIELD AND POOL, OR WILDCAT Basin Blanco Dakota									
16. Date T.D. Reached 4-30-96						11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA D SEC. 12, T 27N R 7W									
17. DATE COMP (Ready to prod.) 7-8-96						12. COUNTY OR PARISH RIO ARRIBA									
18. ELEVATIONS (DF, RKB, RT, GR, ETC.)						13. STATE NM									
20. TOTAL DEPTH, MD & TVD 7309'		21. PLUG, BACK T.D., MD & TVD 7301'		22. IF MULTIPLE COMPL., HOW MANY* 1	23. INTERVALS DRILLED BY ROTARY TOOLS X CABLE TOOLS										
24. PRODUCING INTERVAL(S), OF THIS COMPLETION -- TOP, BOTTOM, NAME (MD & TVD)* 7094 - 7290 DAKOTA						25. WAS DIRECTIONAL SURVEY MADE									
26. TYPE ELECTRIC AND OTHER LOGS RUN TDL/GR/CBL						27. WAS WELL CORED									
28. CASING RECORD (Report all strings set in well)															
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)		HOLE SIZE		CEMENTING RECORD		Amount Pulled					
9 5/8		36#		291'		12 1/4		135 SX							
7		20#		3080'		8 5/8		435 SX							
4 1/2		10.5		7303'		6 1/4		588 SX							
29. LINER RECORD							30. TUBING RECORD								
Size		TOP (MD)		BOTTOM (MD)		SACKS CEMENT*		SCREEN (MD)		SIZE		DEPTH SET (MD)		PACKER SET (MD)	
										2 3/8"		707'			
31. PERFORATION RECORD SEE ATTACHED							32. ACID, SHOT, FRAC., CEMENT SQUEEZE, Etc. DEPTH INTERVAL (MD) AMT. AND KIND OF MATERIAL USED								
33.* PRODUCTION							WELL STATUS (Producing or shut-in)								
DATE FIRST PRODUCTION NA		PRODUCTION METHOD (Flowing, gas lift, pumping -- size and type of pump) FLOWING					PRODUCING								
DATE OF TEST 7/5/96		HOURS TESTED 24		CHOKE SIZE OPEN		PROD'N. FOR TEST PERIOD OIL -- BBL. 8 bopd		GAS -- MCF. 1.3 1450 mcf/gpd		WATER -- BBL. 2 12 bwpd		GAS-OIL RATIO 181.545		OIL GRAVITY-API (CORR.) 64.1	
34. DISPOSITION OF GAS SOLD							TEST WITNESSED BY JOHN ANDERSON								
35. LIST OF ATTACHMENTS															

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

Jerry W. Hoover
Jerry W. Hoover

TITLE

Sr. Conservation Coordinator

ACCEPTED FOR RECORD

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

DISTR. BLM(6) BRK DJS FILE ROOM

NMOCD

RY

FARMINGTON DISTRICT OFFICE

JUL 17 1996

ATTACHMENT TO FORM 3160-4

LEASE NO: SF 079298 B
WELL NAME & NO: SAN JUAN UNIT 28-7, WELL # 125M
LOCATION: 580' FNL & 1140' FWL. SEC. 12, T 28N, R 7W, UNIT LTR 'D'
COUNTY & STATE: RIO ARRIBA, NM

PERFORATION INTERVAL

PERF LOWER DAKOTA @ 7216-37, 7253-57, 7262, 7265-69. 7283, 7290, TOTAL OF 30 HOLES
PERF UPPER DAKOTA @ 7094-7104, 7109-17, 7125-43, TOTAL OF 39 HOLES

DEPTH INTERVAL

AMT & KIND OF MATERIAL USED

7216 - 7290'	ACID W/ 1000g 15% NEFE HCL W/ 45 1.1 BS. FRAC W/ 15,000# SDC & 25,200# 20/40 OTTAWA SAND.
7094 - 7143'	ACID W/ 1000g 15% NEFE HCL W/ 56 1.1 BS. FRAC W/ 2999 bbl 10# LINEAR GEL W/ 15,000#SDC SAND & 94,000# 20/40 OTTAWA SAND TAILED IN W/ 10,000# SDC.