State of New Mexico Energy, Minerals and Natural Resources Department

	WELL API NO.								
OIL CONSERVATION DIVISION	30-039-25688								
P.O. Box 2088	5. Indicate Type of Lease								
Santa Fe, New Mexico 87504-2088	STATE[] FEE[]								
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM	6. State Oil & Gas Lease No.								
FOR PROPOSALS TO DRILL OR TO DEEPEN OR TO PLUG BACK TO A	NMNM-03547								
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	7. Lease Name or Unit Agreement Name								
1. Type of Well									
Oil Well [] Gas Well [X] Other []	BREECH "F"								
2. Name of Operator Caulkins Oil Company	8. Well No. 8-M								
3. Address of Operator	Pool Name or Wildcat								
P.O. Box 340, Bloomfield, NM 87413	DAKOTA, MESA VERDE								
4. Well Location Unit Letter O: 34 Section 27N Township 6W	Range NMPM Rio Arriba County								
10. Elevation (Show Whether DF, RK3,	RT,GR,etc.)								
6610 G									
	T REPORT OF:								
PERFORM REMEDIAL WORK [] REMEDIAL WORK PLUG AND ABANDON [] ALTERING CA									
TEMPORARILY ABANDON [] COMMENCE D	PRILLING OPNS. []								
CHANGE PLANS [] PLUG AND AB									
PULL OR ALTER CASING [] CASING TEST OTHER: Recomplete [X] OTHER:	AND CEMENT JOB []								
12. Describe Proposed or Completed Operations									
7/26/02 We request approval to recomplete this well in the South Blanco	Tooito formation by the following procedure:								
Rig up.	rocke formation by the following procedure.								
T. O. H. with 2 3/8" tubing.									
Run wireline set retrievable bridge plug to 6930' to isolate Dakota	•								
Perforate Tocito zone, 6880' – 6890', with 4 shots per foot – 40 h									
-	T. I. H. with 2 7/8" frac string and fullbore packer to 6800°. This will isolate Mesa Verde zone above fullbore packer.								
Frac Tocito with 10,000# 20/40 sand and N_2 foam.	will isolate iviesa verue zone above fundore packer.								
Flow well back to clean up and test for commingling allocation.									
T. O. H. laying down 2 7/8" tubing with fullbore packer.									
T. I. H. with 2 3/8" tubing and retrieving head.									
Clean out to retrievable bridge plug at 6930' with air foam unit.									
Latch onto retrievable bridge plug and T. O. H.									
T. I. H. with 2 3/8" production tubing, clean out to TD at 7662'.									
•									
(continued on page 2) NOTE: This format is in lieu of State Form C-103.									
I hereby certify that the information above is true and complete to the best of my knowledge and belief.									
91 + 2 = 1									
ROBERT L. VERQUER TITLE Supe	erintendent DATE July 31, 2002								
	Ph. (505) 632-1544								
(This space for Sales of Sales	DATE BALLO - 6 2002								
APPROVED BYTITLE	DATE MAN AUG - 6 2092								
CONDITIONS OF APPROVAL, IF ANY:									

Caulkins Oil Company NMOCD State Sundry Breech "F" 8-M July 31, 2002 Page 2

Land tubing on doughnut at approximately 7550'.

Rig down and move.

Estimated starting date, September 9, 2002

No new surface will be disturbed, location area will be cleaned up following operations.

Upon completion of testing Tocito zone, Caulkins Oil Company will apply for approval to commingle this well.

NMOCD C-102 attached for South Blanco Tocito

Form C-102

State of New Mexico

Energy, Minerals & Natural Resources Department

Revised October 18, 1994

PO Box 1986, Hobbs, NM 88241-1980 District II \$11 South First, Artesia, NM 88210

OIL CONSERVATION DIVISION

Instructions on back Submit to Appropriate District Office

District III 1000 Rio Brazos Rd., Aztec, NM 87410

1220 South St. Francis Drive Santa Fe. NM 87504

State Lease - 4 Copies Fee Lease - 3 Copies

RT

District IV				*			14W 07304			ree Lease - 3 Copi	
2040 South Pach	eco, Santa Fo	, NM 87505								AMENDED REPOR	
			WELLI	OCAT	ION ANT) AC	BEAGE DEDI	CATION DI	۸T		
API Number				² Pool	OCATION AND ACREAGE DEDICAT				Pool Name		
30-039-25688			064	60		SOUTH BLANCO TOCITO					
¹ Property							y Name			Well Number	
2460 'OGRID No.				BREECH "F"						8-M	
0038		Operator Name Caulkins Oil Company							'Elevation		
		L								6610 GR	
UL or let no.	Section	Township	Range	Lot Idn	Feet from		Location North/South line	Feet from the	Ford/SV-v4 II-		
0	34	27N	6W		896		South	1604'	East/West line East	Rio Arriba	
Bottom Hole Location If Different From Surface										Ido Allioa	
UL or lot no.	Section	Township	Range	Let Idn	Feet from	the	he North/South line	Feet from the	East/West line	County	
R.D. II. d. J. d.	1371	14									
Dedicated Acre	es ¹³ Joint o	or Intill	Consolidatio	n Code	Order No.						
L	VARIEV	/III DE /	A SSIGNIET	TOTI	C COL (D) F	TION	I D VINT AV TON				
	WINDLE V	LEC DE A	NON-STA	NDARD	UNIT HAS	BEE	N ONTIL ALL IN	LEKESTS HAV	E BEEN CONS	OLIDATED OR A	
16					7-0					RTIFICATION	
								E .			
;										contained herein is true and	
								complete to the	best of my knowledge	and belief	
								Rola	A I Ver	1 Verque	
			•				Signatur		e		
								Printed Na	me Robert L	Verguer	
									and Modelle Da	reiquei	
						l		Title	Superinte		
								Date	July 3	31, 2002	
								18SLIRY	EYOR CER	RTIFICATION	
			•					*		shown on this plat was	
								piotiea from he my supervision,	and that the same is t	eys made by me or under m true and correct to the best	
						ı		of my knowledg			
						i		Date of Survey			
				1	160	04'		Signature and S	ical of Professional Su	rveyor:	
					©						
					896'						
								~			
								Certif	icate Number		